

Since by (13) and (17) $I_{FGM(0)} = I_{\Pi}$, hence probabilistic implication (18) for $\theta = 0$ is a fuzzy implication. Now let us check whether we can obtain a probabilistic implication based on the Farlie-Gumbel-Morgenstern copula with parameter $\theta \neq 0$.

Thus, by Th. 6 we have to examine whether condition (12) holds for any $\theta \in [0, 1]$. Taking any $u_1, u_2, v \in [0, 1]$ such that $u_1 \leq u_2$ we can see that (12) is satisfied when

$$\begin{aligned} & [u_1v + \theta u_1v(1 - u_1)(1 - v)]u_2 \geq \\ & \geq [u_2v + \theta u_2v(1 - u_2)(1 - v)]u_1 \end{aligned}$$

which is equivalent to

$$\theta(1 - u_1) \geq \theta(1 - u_2)$$

and holds if and only if $\theta \geq 0$. Therefore, we may conclude that

$$I_{FGM(\theta)} \in \mathcal{FI} \Leftrightarrow \theta \geq 0,$$

i.e., the probabilistic implication (18) based on the Farlie-Gumbel-Morgenstern copula is a fuzzy implication not for all possible values of parameter θ but only for $\theta \geq 0$. ■

6. Conclusions

A new family of implication operators, called probabilistic implications were introduced in the paper. It was discussed when probabilistic implications are fuzzy implications. Some examples illustrating these new tools were also given. As they are called, probabilistic implications give a promising link from probability to theory of fuzzy implications that might be useful in approximate reasoning. However, many problems and questions are still open. One of the most important is to characterize a family of the copulas leading to probabilistic fuzzy implications. It would be desirable to find mathematical formulae which are not only efficient but also providing a clear and natural interpretation. Next problem is to examine properties of the probabilistic implications based on different families of copulas.

References

- [1] M. Baczynski and Y. Jayaram, *Fuzzy Implications*, Springer, 2008.
- [2] J.C. Fodor, M. Roubens, *Fuzzy Preference Modelling and Multicriteria Decision Support*, Kluwer, Dordrecht, 1994.
- [3] N. Greene, An overview of conditionals and biconditionals in probability, In *proceedings of the American Conference on Applied Mathematics (MATH '08)*, Harvard, Massachusetts, USA, March 24-26, 2008.
- [4] N. Greene, Methods of assessing and ranking probable sources of error, In *proceedings of the Applied Computing Conference (ACC '08)*, Istanbul, Turkey, May 27-30, 2008.

- [5] L. Kitainik, *Fuzzy Decision Procedures with Binary Relations*, Kluwer, Dordrecht, 1933.
- [6] R. B. Nelsen, *An Introduction to Copulas*, Springer, New York, 1999.
- [7] H. T. Nguyen, M. Mukaidono and V. Kreinovich, Probability of Implication, Logical Version of Bayes' Theorem, and Fuzzy Logic Operations, In *proceedings of the FUZZ-IEEE'2002*, Honolulu, Hawaii, May 12-17, 2002, pp. 530-535.
- [8] L. Rutkowski, *Artificial Intelligence - Methods and Techniques*, PWN, Warsaw, 2006 (in Polish).
- [9] B. Schweizer and A. Sklar, *Probabilistic Metric Spaces*, Elsevier, New York, 1983.
- [10] L. Zadeh, From computing with numbers to computing with words - From manipulation of measurements to manipulation of perceptions, *IEEE Transactions on Circuits and Systems - I: Fundamental Theory and Applications*, 45, 105-119, 1999.