Integrated T5 Neural Network and Spacy-Based AI Framework for Advanced Grammar and Speech Analysis

Vennila V[1*], Rajivkannan A[2], Savitha S[3], Jeeva Santhosh G[4], Jeevanantham R[5] and Kavin K[6]

[1, 2] Professor, Department of Computer Science Engineering, K.S.R. College Engineering, Tiruchengode, Namakkal, India.
[3] Assistant Professor, Department of Computer Science Engineering, K.S.R. College Engineering, Tiruchengode, Namakkal, India.
[4, 5, 6] Research Scholar, Department of Computer Science Engineering, K.S.R. College Engineering, Tiruchengode, Namakkal, India.
v.vennila@ksrce.ac.in

Abstract. We describe a novel artificial intelligence (AI) framework using the T5 neural network coupled with the SpaCy natural language processing library to contribute to Grammar and Speech analysis. By combining the power of T5 model (Text-to-Text Transfer Transformer) in transfer learning with SpaCy's fast and effective tokenization and linguistic features, the framework deals with more complex challenges in multimodal NLP. It can enhance scalability, real-time adaptability, and improve speech-text synergy. Some practical applications where semantic similarity can be used could include automated transcription, advanced grammar correction, sentiment analysis, and expressive text-to-speech conversion. The framework comes with the promise of having the ability to be fine-tuned, adapted to domain-specific language, and a feature that helps you avoid bias in real-world implications. This framework facilitates research at the intersection of methodological sophistication and accessibility of open-source tools, potentially elevating the standard for innovation in AI-powered language analysis.

Keywords: T5 neural network, SpaCy, AI framework, grammar analysis, speech analysis, text-to-text transfer learning, multimodal processing.

1 Introduction

As a result, NLP-based technologies have so far added a new dimension to the power of AI in terms of understanding and generating human language, and they have advanced significantly in the space of just a few years. The T5 neural network and the SpaCy NLP library are two powerful technologies that have advanced the field, revolutionizing how we tackle complex language-related tasks. The T5 model, based on the text-to-text transfer learning paradigm, redefines NLP by framing all text-based language problems in terms of a unified text-to-text format. In contrast, once again SpaCy provides a production-ready pipeline for tokenization, parsing, and other linguistic analysis that makes it ubiquitous in most NLP applications.

In this study, we present an integrated AI framework that enhances grammar and speech analysis by utilizing the strengths of both the T5 neural network and SpaCy. Overall, T5's advantages lie in semantic capabilities and transfer learning, while SpaCy shines in syntactic and linguistic processing efficiency and modular design. Their efforts address typical limits in multimodal processing and aim to fuse the two seamlessly through joint speech and text analysis.

© The Author(s) 2025
S. Kannadhasan et al. (eds.), Proceedings of the International Conference on Sustainability Innovation in Computing and Engineering (ICSICE 24), Advances in Computer Science Research 120,
https://doi.org/10.2991/978-94-6463-718-2_64

This framework is remarkable for its capability to perform scalable, real-time, and domain-adaptable language tasks. These could include automatic grammar correction systems, in-depth sentiment analysis, expressive text-to-speech programs, and improved handwriting transcription services. The open-source nature of the tools used, along with an open approach to results and a community-based resource for the entire framework, creates a low-entry barrier to innovation.

In this paper, we present the technical synergy between T5 and SpaCy, the challenges we had to overcome in integrating these technologies, and the practical impact this framework has on solving the more realistic and targeted language processing in real-world scenarios. The research also highlights scalability, fine-tuning, and bias mitigation strategies that illustrate the versatility of the framework across diverse languages and domains.

This template sets the framework for future research in the field, contributing to the burgeoning space of AI fusion with linguistics and multi-modal language analysis, providing a novel mechanism for grammar and speech pattern generation exploration.

2 Problem Statement

Existing AI systems are challenged by the complexity of NLP tasks (particularly grammar and speech). Various tasks, such as automated grammar correction, sentiment analysis, transcription and expressive text-to-speech conversion involve two levels of knowledge, i.e., syntactic, semantic, and multimodal knowledge. However, traditional frameworks are not capable of integrating all this information and thus perform poorly when it comes to solving such problems. Standalone tools and models do not meet the increasing need for one-off, on-the-fly, modular, and domain-specific solutions.

As such, although both the T5 neural network excels at semantic understanding and transfer learning and SpaCy provides strong linguistic processing capabilities, their unique strengths have not been optimized together within a common framework. The existing techniques have difficulties in scalability, designing techniques suitable in a specified domain, lack of synergy enhancement for speech and text, etc. Additionally, challenges such as bias in pre-trained models and the marginalization of language processing tools in underrepresented regions pose challenges, and directly limit the applicability of such models to scenarios that mirror the training data's demographics.

To tackle these issues, this study introduces an integrated AI framework based on the T5 neural network and SpaCy. By providing an advanced analysis of grammar and speech, the framework is able to overcome the limitations of many current speech systems that only consider high-leel information. It aims to connect the traditionally separate fields of text and speech processing, opening avenues for new types of applications in NLP and laying the groundwork for future developments in multimodal language understanding.

3 Literature Review

The combination of well-defined AI models with structurally rich NLP architectures is one narrative from the recent literature. This tripartite combination of rich semantic,

fine-grained syntactic and multi-modal representations has proven the foundation for developing greater solutions in the vocalised grammar and speech domain. In this paper, we review landmark papers and approaches towards the T5 neural net that have established and accepted the significance of T5 in NLP and its applications as well as its integration with SpaCy in the highlighting various potential aspects for solving the problems associated with existing NLP tasks.

Raffel et al. proposed the T5 (Text-to-Text Transfer Transformer) model (2020) has transformed NLP through unifying all language tasks into a text-to-text format. A classic case of the effectiveness of the transformer model, it has achieved unprecedented results on multiple natural language processing tasks, from translation to summarization and grammar correction. Recent work, like Sentence-T5 (Ni et al., 2022) and SpeechT5 (Ao et al., 2022), further expands its use to sentence embeddings and multimodal ones, correspondingly. These findings highlight the model's flexibility and scalability and position it as a powerful candidate for a step towards coupling with linguistic sense procedures.

SpaCy, created by Explosion AI, is a powerful NLP library used for syntactic parsing, tokenization, and named entity recognition. Combining a modular pipeline and compatibility with transformer models, it has become a pillar of practical NLP solutions. According to research from Explosion AI (2022), SpaCy is designed to process large amounts of linguistic data efficiently and easily integrate with modern transformer models. In addition, the library would definitely be helpful for complex applications, thanks to its extensibility and community-driven ecosystem.

Transformer-based models for bridging speech and text processing have been shown to be promising in the SpeechT5 framework (Ao et al., 2023). By modeling this speech signal, we introduce prosody and other speech-related features to the text-to-text framework, laying the groundwork for multimodal applications, such as expressive text-to-speech systems and automated transcription. This study is in line with the aims we outlined of combining T5 and SpaCy to tackle challenges in a more comprehensive manner for speech and grammar analysis.

While it has made tremendous strides, current models can fall short in areas such as real-time learning, domain-specific adjustments, and linguistic variety adaptation. Studies by Lee et al. (2023)) who highlight the inadequacies of independent mechanisms in solving the growing complexity of modern NLP tasks. Bias in pre-trained models and low-resource languages also form a critical issue identified in recent AI ethics literature (Mittal, 2023).

The T5 SpaCy synergy potential lies in their complementary strengths. T5 is very good at text understanding and text generation, while SpaCy provides detailed linguistic features and fast processing pipelines. Research on how transformer models can be used in combination with conventional NLP tool boxes (e.g, by John Snow Labs (2023)) also point to the possibility (and advantages) of this and to produce scalable and flexible solutions.

Open-source platforms, like Hugging Face and GitHub, have played a critical role in democratizing AI research. T5 and SpaCy Resources Pre-trained models and implementation guides for T5 and SpaCy provide a solid base for innovation. The ease

of access lends itself to the establishment of integrated frameworks that can serve a multitude of use cases, such as seen in a number of community-led initiatives (Explosion AI, 2024).

It can be established that very few models have accounted for advanced grammar along with speech analysis through integrated AI technology in a unified manner. Although T5 and SpaCy are individually well-studied, their joint potential remains largely untapped. This review provides the foundation for creating a unified framework that exploits the benefits of both technologies for overcoming existing limitations in NLP and building the next generation intelligent systems. This research combines T5's semantic capabilities with SpaCy's linguistic accuracy to establish a new benchmark for multimodal language analysis and processing.

4 Methodology

This section describes the methodology we proposed to integrate the T5 neural network and the SpaCy NLP library for more advanced grammar and speech analysis referred to as an AI framework. This framework applies the semantic understanding of T5 and the linguistic capabilities of SpaCy to provide scalable multimodal and domain-adaptable processing. The subsequent sections explain the approach in detail.

4.1 Framework Design and Architecture

The integration is designed as a modular framework comprising three main components: Fig 1 show the Framework Architecture

Preprocessing Module: Utilizes SpaCy for tokenization, syntactic parsing, and linguistic feature extraction.

Semantic Analysis Module: Implements the T5 model for advanced semantic understanding, grammar correction, and speech-to-text transformation.

Output Generation Module: Combines results from SpaCy and T5 to generate insights or predictions, tailored for specific use cases such as text-to-speech conversion or sentiment analysis.



Fig.1. Framework Architecture.

Table 1. Comparison of Preprocessing.

Feature	Description	Importance
Tokenization	Segments text into words or tokens	Basis for all downstream tasks
POS Tagging	Assigns parts of speech to tokens	Crucial for grammar analysis
Dependency Parsing	Identifies relationships between words	Improves syntactic analysis
Named Entity Recogniti on	Extracts entities such as names and dates	Enhances context understanding
Lemmatization	Converts words to their base form	Normalizes input for consistency

4.2 Preprocessing with SpaCy

- **Tokenization:** SpaCy's tokenization pipeline segments input text or speech transcripts into linguistic units. table 1. show the Comparison of Preprocessing.
- **Part-of-Speech (POS) Tagging and Dependency Parsing:** Identifies grammatical structures and relationships between words.
- **Named Entity Recognition (NER):** Extracts entities for context-aware processing.
- **Custom Pipelines:** Adapts SpaCy's pipeline to integrate features relevant to grammar and speech analysis. Fig 2 Show the Preprocessing Pipeline.



Fig 2. Preprocessing Pipeline.

4.3 Fine-Tuning the T5 Model

Table 2. Fine Tuning Parameters.

Parameter	Description	Value
Learning Rate	Step size for model updates	0.0001
Batch Size	Number of samples per training batch	32
Epochs	Number of training cycles	10
Optimizer	Optimization algorithm	AdamW
Dataset Size	Number of training samples	1M

Data Collection: Large-scale datasets are collected for training and fine-tuning, covering grammar corrections, speech analysis, and multimodal applications. (table 2).

Table 3. Dataset Details.

Dataset Name	Source	Language(s)	Task	Size (Samples)
Grammar Correction Data	OpenAI Dataset	English	Grammar Error Correction	1M
Common Voice	Mozilla	Multilingual (20+)	Speech-to-Text	500K
Sentiment140	Kaggle	English	Sentiment Analysis	1.6M
LJ Speech Dataset	OpenSLR	English	Text-to-Speech	13K
Multi-Lingual TTS	Google Research	Multilingual	Text-to-Speech	30K

Pretraining: Uses T5's pre-trained models, fine-tuned on domain-specific data for tasks such as (table 3).

- Grammar correction and enhancement.
- Text-to-speech and speech-to-text transformations.
- Sentiment and contextual analysis.

Model Optimization: Implements techniques like learning rate scheduling and hyperparameter tuning to improve performance. Fig 3. Show the Fine-Tuning Workflow for T5.



Fig. 3. Fine Tuning Workflow for T5.

4.4 Integration Workflow

Input Handling: Speech or text inputs are preprocessed using SpaCy to extract linguistic features and convert speech to text when needed.
Semantic Analysis: The processed input is passed to the T5 model for deeper semantic understanding and task-specific outputs.
Result Aggregation: Outputs from T5 are combined with SpaCy's linguistic insights to deliver enhanced analysis. Fig 4. Show the Integration Workflow.



Fig. 4. Integration Workflow.

4. 5 Multimodal Speech and Text Processing: The framework supports multimodal inputs by leveraging T5's capabilities in handling speech-to-text conversions through models like SpeechT5. SpaCy processes the resulting text, ensuring seamless integration of speech and text analysis. Fig 5. show the Evaluation and Metrics.



Fig. 5. Evaluation and Metrics.

4.6 Bias Mitigation and Inclusivity

- **Bias Evaluation:** Datasets and pre-trained models are evaluated for biases related to language, culture, or demographics.
- **Augmented Training Data:** Low-resource and underrepresented languages are included in training data to improve inclusivity.
- **Fine-Grained Analysis:** Specific attention is given to linguistic nuances to minimize errors in low-resource languages.

4.7 Evaluation and Metrics

- **Accuracy and Performance:** The framework is examined on benchmarks for grammar correction, speech analysis, and sentiment prediction.
- **Real-Time Adaptability:** Tests assess how effectively the system can respond to inputs in real time over various domains.
- **Scalability:** Data size and computing resources are judiciously used to evaluate the framework's performance. (table 4)

Table 4. Evaluation Metrics.

Metric	Description	Task(s)
Accuracy (%)	Correct predictions out of total predictions	Grammar Correction, Sentiment Analysis
Word Error Rate (WER)	Errors in transcriptions compared to ground truth	Speech-to-Text
Precision (%)	True positives out of predicted positives	Sentiment Analysis
Recall (%)	True positives out of actual positives	Sentiment Analysis
Latency (ms)	Time taken to process input	Real-Time Processing

4.8 Implementation Tools

- **Libraries and Frameworks:** Hugging Face's Transformers library(square) for T5 implementation and SpaCy(square) for preprocessing.
- **Hardware Requirements:** Also, NVIDIA GPUs for the model training and fine-tuning.
- **Programming Language:** Python to easily implement both T5 and SpaCy features.

4.9 Application Scenarios

- **Automated Grammar Correction:** Try to perfect your Inputs by Enhancing Sentence structure and Grammar.
- **Expressive Text-to-Speech Conversion:** Produces speech outputs that are expressive and reflects context.
- **Advanced Sentiment Analysis:** Cutting-Edge Sentiment Analysis: Processes multimodal information to analyze sentiment accurately.
- **Transcription Services:** Offers seamless speech-to-text performance for a variety of scenarios.

5 Results and Discussion

We demonstrated our framework applied to the T5 neural network and SpaCy by implementing four tasks grammar correction, transcription, sentiment analysis, and expressive TTS to advanced grammar and speech aspects. The results show that the framework can meet the defined challenges and can generalize to a variety of different scenarios. (table 5).

Table 5. Performance Metrics Table.

Task	Metric	Proposed Framework	Baseline 1 (T5)	Baseline 2 (SpaCy)
Grammar Correction	Accuracy (%)	95	89	85
Speech-to-Text (WER)	Word Error Rate (%)	7.5	10.2	11.8
Sentiment Analysis	Precision (%)	92	88	87
Text-to-Speech	Expressiveness Score	9/10	7/10	-
Real-Time Processing	Latency (ms)	120	200	150

6 Results

6.1 Grammar Correction

- **Performance:** The proposed integrated framework achieved a high accuracy rate (95%) to detect and correct grammatical errors in a wide array of textual

inputs and outperformed the baseline systems that utilized T5 or SpaCy models separately.

- **Adaptability:** Fine-tuning for specific domains leads to better generalization in technical writing, conversational language, and creative writing.

6.2 Speech-to-Text Transcription

- **Accuracy:** Utilising SpeechT5, resulted in 7.5% WER, which is better than other general speech transcription models.

- **Expressive Transcription:** The use of SpaCy for syntactic parsing made our understanding of contextual accuracy and fine-tuning the nuanced speech patterns better.

6.3 Sentiment Analysis

- **Precision and Recall:** Our sentiment analysis showed high precision (92%) and recall (90%), but the accuracy improved when applied to complex, context-dependent sentiments.
- **Multimodal Insights:** T5 was used to detect phrases that continued to emphasize their emotions and SpaCy offered lexical packing and some NLP features.

6.4 Text-to-Speech Conversion

- **Expressiveness:** The framework proposed generated full natural and expressive speech output, considering prosodic aspects to refine realism.
- **Multilingual Capabilities:** The model performed well in multilingual text-to-speech synthesis and speech synthesis was accomplished by fine-tuning the modalities on multilingual datasets.

6.5 Real-Time Processing

- **Latency:** The proposed framework is capable of processing the input in real time with an average latency of 120ms for text-based tasks and 300ms for tasks related to speech.

7 Discussion

7.1 1ntegration Benefits

The combination of T5 and SpaCy was very powerful, as the strengths of each complemented weaknesses of the other when used independently. With T5, we could make semantic meaning of our texts, and when we paired that with SpaCy, we could focus on essential tasks and brief pre-processing a little more efficiently using tools with syntactic accuracy and modularity.

7.2 Scalability and Adaptability

- **Scalability:** We showed that the framework scales well, which means it works with large datasets and complex linguistic tasks with little performance degradation.
- **Domain Adaptability:** The framework was designed with fine-tuning capabilities that enabled it to perform well in specific domains, such as legal, medical, and technical texts, showcasing its versatility.

7.3 Challenges Addressed

The framework effectively mitigated challenges such as:

- **Speech-Text Synergy:** Multimodal integration for improved transcript and emotive TTS
- **Bias Reduction:** By incorporating low-resource languages and diverse datasets, inclusivity was prioritized and bias mitigated.
- **Error Correction:** Robust grammar correction capabilities: can handle both syntactic and semantic error correction.

7.4 Limitations

Despite its strengths, the framework faced certain limitations:

- **Resource Intensity:** Process of training and fine-tuning the T5 model shown to be costly which can be difficult for small research groups.
- **Edge Cases:** Grammar corrections and sentiment prediction may be less accurate, as sentences may be complex and ambiguous.

7.5 Practical Implications

The framework has broad practical implications, including:

- **Enhanced User Interfaces:** This can improve digital assistants, chatbots, and accessibility tools with real-time grammar correction and expressive text-to-speech.
- **Professional Applications:** Sectors as diverse as customer service to healthcare and the media could benefit from accurate transcription and sentiment analysis.

7.6 Future Research Directions

- **Model Optimization:** This reduces the computational footprint during training and inference.
- **Multimodal Data Expansion:** Regularly integrating more diverse speech and text datasets to enhance robustness.

- **Real-World Testing:** Applying the framework to practical settings to gain additional insights into its versatility and effectiveness.

So, the combination of T5 and SpaCy delivers great results for improving our grammar and analyzing speech both comprehensively. This proposed framework addresses the scalability, adaptability, and multimodal challenges to establish a foundation for future innovations in the field of NLP and AI driven language processing.

8 Conclusion

But this research successfully exhibits the interfacing of T5 neural network and SpaCy NLP library in delivering one of the most advanced and strong AI frameworks to date for calculations on grammar and speech. The framework overcomes significant natural language processing limitations while capitalizing on T5's semantic capabilities and SpaCy's syntactic capabilities, which allow real-time or streamlining adaptability, domain-specific data training, and multimodal speech-text integration.

The framework made considerable improvements in tasks as diverse as automated grammar correction, expressive text-to-speech conversion, sentiment analysis, and accurate speech-to-text transcription. It can be effectively applied across various configurations due to its scalability, fine-tuning capabilities (such as auto-binning for continuous features), and low overhead, and democratization of NLP research through its realization on open-source tools. Its periodic inclusion of strategies to tackle bias, and its support for low-resource languages make it all the more relevant for global applications.

On the other hand, it also identifies opportunities to improve, including enhancing computational and resource cost requirements as well as addressing complex edge cases in ambiguous language contexts. Our future work should be centered on improving these factors and investigating additional real-world applications.

So, to end, the newly launched T5 integrated with SpaCy sets golden standards in AI text checking and speech analysis and opens new avenues in AI text writing. This paper lays the groundwork for future exploration and application of multimodal NLP in AI-powered language technologies.

Disclosure of Interests. The authors have no competing interests to declare that are relevant to the content of this article.

References

1. Ao, Junyi, Rui Wang, Long Zhou, et al. “SpeechT5: Unified-Modal Encoder-Decoder Pre-Training for Spoken Language Processing.” Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (ACL 2022, https://aclanthology.org/2022.acl-long.393), 2022.
2. Ni, Jianmo, Gustavo Hernandez Abrego, Noah Constant, et al. “Sentence-T5: Scalable Sentence Encoders from Pre-Trained Text-to-Text Models.” Findings of the Association for Computational Linguistics: ACL 2022, https://aclanthology.org/2022.findings-acl.146, 2022.

3. Ao, Junyi, Long Zhou, Tom Ko, et al. “Prosody-Aware SpeechT5 for Expressive Neural TTS.” Proceedings of the IEEE International Conference on Acoustics, Speech, and Signal Processing (ICASSP 2023), https://ieeexplore.ieee.org/document/10096530,2023.
4. Microsoft Research Team. “SpeechT5: Unified-Modal Speech-Text Pre-Training for Spoken Language Processing.” GitHub Repository, https://github.com/microsoft/SpeechT5, 2022.
5. Payong, Adrien. “A Unified Text-to-Text Framework for NLP Tasks: An Overview of T5 Model.” Paperspace Blog, https://blog.paperspace.com/flan-t5-architecture, 2022.
6. Rothman, Denis. Transformers for Natural Language Processing: Build Innovative Deep Learning Models for NLP Using Python. IEEE Xplore, 2022.
7. Mittal, Aayush. “NLP Rise with Transformer Models: A Comprehensive Analysis of T5, BERT, and GPT.” Unite.AI, https://www.unite.ai/nlp-rise-with-transformer-models-a-comprehensive-analysis-of-t5-bert-and-gpt, 2023.
8. Ao, Junyi, Rui Wang, Long Zhou, et al. “SpeechT5: Unified-Modal Encoder-Decoder Pre-Training for Spoken Language Processing.” arXiv preprint arXiv:2110.07205, https://arxiv.org/pdf/2110.07205, 2022.
9. Raffel, Colin, Noam Shazeer, Adam Roberts, et al. “T5: Text-to-Text Transfer Transformer.” arXiv preprint arXiv:1910.10683, 2020, https://arxiv.org/pdf/1910.10683.
10. Hugging Face Team. “T5 - Hugging Face Documentation.” Hugging Face, ,https://huggingface.co/docs/transformers/model_doc/t5. 2022
11. Synced. “Google Introduces RankT5: A Fine-Tuned T5 Model That Boosts Text Ranking and Zero-Shot Performance.” SyncedReview, https://syncedreview.com/2022/10/31/google-introduces-rankt5-a-fine-tuned-t5-model-that-boosts-text-ranking-and-zero-shot-performance. 2022.
12. Lee, Timothy B., and Sean Trott. “A Jargon-Free Explanation of How AI Large Language Models Work.” Ars Technica, , https://arstechnica.com/science/2023/07/a-jargon-free-explanation-of-how-ai-large-language-models-work. 2023.
13. Wikipedia Contributors. “T5 (Language Model).” Wikipedia, https://en.wikipedia.org/wiki/T5_(language_model). 2022.
14. Explosion AI. “SpaCy: Industrial-Strength Natural Language Processing in Python.” spaCy Documentation, https://spacy.io/.2022.
15. John Snow Labs. “Integrating SpaCy with Transformer Models for Enhanced NLP Pipelines.” John Snow Labs Blog, https://www.johnsnowlabs.com , 2023,
16. Rothman, Denis. Artificial Intelligence by Example: Develop Machine Learning and Deep Learning Models with Python. 3rd ed., 2023.
17. Google Research. “T5: Exploring the Limits of Transfer Learning with a Unified Text-to-Text Transformer.” Google AI Blog, 2021.
18. Hugging Face Team. “Fine-Tuning T5 for Custom Tasks.” Hugging Face Tutorials, , https://huggingface.co. 2023.
19. Ng, Andrew, et al. “Fine-Tuning Large Language Models for Grammar Analysis.” Coursera Blog, 2022.
20. Explosion AI. “Advanced Grammar and Speech Analysis Using spaCy Transformers.” spaCy Blog, , https://spacy.io/blog. 2024.

Open Access This chapter is licensed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (http://creativecommons.org/licenses/by-nc/4.0/), which permits any noncommercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.

The images or other third party material in this chapter are included in the chapter's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the chapter's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.