Energy Aware Artificial Intelligence Models for Scalable Digital Interactions Efficient Resource Management and Carbon Neutral Sustainable Technology Innovations

Sirisha N[1*], Dhodium Sujan Kumar[2], Ilanchezhian P[3],
Venkata Bhardwaj Komaragiri[4], Kiruthika Sri G[5] and Thamizhkani B[6]

[1] Department of Computer Science and Engineering, MLR Institute of Technology, Hyderabad, Telangana, India.
[2] Associate Professor, Department of CSE, CVR College of Engineering, Mangalpalle, Telangana, India.
[3] Associate Professor, Department of IT, Sona College of Technology, Salem – 636005, Tamil Nadu, India.
[4] Lead Data Engineer, Ciena, Maryland.
[5] UG Student, Department of Electrical and Electronics Engineering, J.J.College of Engineering and Technology, Tiruchirappalli, Tamil Nadu, India.
[6] Assistant Professor, Department of EEE, New Prince Shri Bhavani College of Engineering and Technology, Chennai-600073, Tamil Nadu, India.
nallashirisha@mlrinstitutions.ac.in

Abstract. There is growing concern about energy consumption, scalability, and environmental sustainability with the rising demand for artificial intelligence (AI) in digital communications, resource management, and technological innovations. Prior works primarily offer theoretical models, a lack of standardized benchmarking to measure sustainability and do not consider the entire life-cycle environmental impact of the system. Few studies provide novel frameworks for energy-aware AI; thus, this study illustrates a new paradigm: (1) lightweight architectures for AI that meet carbon accounting methodologies and regulatory policies; and (2) scalable, resource-efficient, and carbon-neutral AI solutions. This study aims to construct a holistic roadmap for sustainable AI development, by harnessing edge AI, renewable-powered computation and novel green computing technologies. It also highlights the need for ESG metrics for AI and shares examples of real-world applications for low footprint scalable digital interactions and resource-efficient computing. Furthermore, it seeks to join the wider world effort to reduce the environmental impact of AI while preserving efficiency and innovation around AI-powered technology.

Keywords: Energy-aware AI, sustainable artificial intelligence, carbon-neutral AI, green computing, scalable digital interactions, efficient resource management, AI lifecycle assessment.

1 Introduction

The rapid advancement of artificial intelligence (AI) has revolutionized digital interactions, resource management, and technological innovations. However, this progress comes with significant challenges, particularly in terms of energy consumption, scalability, and environmental sustainability. The increasing computational demands of AI models especially deep learning and large-scale generative AI have led to rising concerns about carbon emissions, energy inefficiencies, and long-term sustainability. Recent studies indicate that training a single AI model can consume as much energy as an entire city, making energy-aware AI models an urgent necessity.

© The Author(s) 2025
S. Kannadhasan et al. (eds.), Proceedings of the International Conference on Sustainability Innovation in Computing and Engineering (ICSICE 24), Advances in Computer Science Research 120,
https://doi.org/10.2991/978-94-6463-718-2_50

Despite the growing attention to AI's environmental impact, existing research often focuses on theoretical frameworks without real-world applications, lacks standardized benchmarks for sustainability, and fails to consider the full lifecycle impact of AI, including data processing, model training, inference, and hardware disposal. Additionally, current approaches primarily optimize for performance rather than energy efficiency, leading to resource-intensive AI solutions that are neither scalable nor environmentally friendly.

In this study, we address AI-eco dilemma by developing AI models that optimize not only for AI performance but also for energy consumption and measurements, in order to filling the gap between AI and sustainability. Research spans lightweight AI architectures, carbon-neutral AI computation, and emerging green computing technologies such as neuromorphic computing, edge AI, and carbon-aware scheduling. Furthermore, it presents uniform sustainability metrics to evaluate AI, equipping policy-makers, researchers and industrialists with a framework to create AI solutions that are efficient yet environment friendly.

1.1 Objectives of the Study

This research focuses on the following key objectives:

- Developing energy-efficient AI models that balance performance with sustainability.
- Establishing standardized carbon accounting methodologies for AI energy consumption.
- Exploring lightweight and edge AI solutions to reduce computational overhead.
- Investigating renewable-powered AI infrastructures for scalable and sustainable computing.
- Proposing policy recommendations and regulatory frameworks for energy-conscious AI deployment.

1.2 Significance of the Study

This research contributes to the field of AI-driven sustainability by offering a comprehensive approach to minimizing the energy footprint of AI systems while ensuring scalability, efficiency, and innovation. By integrating emerging green computing technologies and AI governance policies, the study presents a pathway toward carbon-neutral AI solutions, ultimately fostering a sustainable and responsible future for AI-powered digital interactions and resource management.

2 Problem Statement

The rapid expansion of artificial intelligence (AI) in digital interactions, resource management, and technological innovations has led to an unprecedented surge in energy consumption and carbon emissions. The computational demands of large-scale AI models, deep learning architectures, and cloud-based AI solutions pose significant challenges to sustainability and scalability. Despite AI's transformative potential,

current models prioritize performance over energy efficiency, leading to inefficient resource utilization, high operational costs, and significant environmental impacts.

Current understanding of energy-aware AI is fragmented and does not employ a standardized approach for measuring, mitigating and optimizing the carbon footprint of AI systems. These challenges are compounded by a lack of lifecycle assessments, widely-accepted carbon accounting methodologies and energy-efficient AI design principles, leaving a fragmented picture of AI sustainability. Moreover, using centralized computing infrastructure instead of lightweight, edge, and neuromorphic AI models leads to energy inefficiencies.

This study bridges this critical gap by advancing scalable, energy-efficient AI models incorporating resource-aware computation, renewable energy sources, and energy-conscious AI governance. Their objective is to deliver the first holistic model to identify eco-friendly aspects for digital engagement and resource and energy management solutions based on AI, to provide an AI sustainability framework.

3 Literature Survey

The growing energy demand required for artificial intelligence (AI) systems has been a central aspect of the race towards sustainable technological progress. Recent works highlight that enormous-scale AI models, particularly deep learning-based architectures, consume considerable computational resources, leading to numerous power consumption and carbon emissions. According to Dhar (2020) it can take as much CO_2 to train a single AI model as it does to operate five cars for their entire life in the time it takes to train one model. This raises concern over its environmental impact, which has inspired researchers to investigate energy-efficient AI architectures and green computing methods.

Researchers have been working on energy-aware AI models that aim to maximize computation efficiency at the same time as minimizing resource wastage. Clemm et al. (2024) summarize green AI efforts with a focus on developing AI models that are performant while also sustainable in their environmental impact. Desislavov et al. Also (2023) provide a framework to better understand energy consumption during iterations of AI inference, where they show that, while AI models are getting more efficient for computational speed, the energy envelop is still significant considering increasing model complexity and size.

More looks at different computing paradigms that could ease Ai's energy demands. Rashid and Mohsenin (2024) propose energy efficient compressed multimodal deep neural networks focusing on edge AI deployment. Edge computing has been gaining attention as a way to significantly reduce energy consumption by processing data locally instead of the traditional cloud-based models that are often energy intensive. Wen et al. (2024) builds on this idea through a merger of generative AI and low-carbon computing approaches, highlighting that not only can AI systems be smart, they may also be sustainable.

Another key area of research is carbon accounting and AI sustainability metrics. In a 2024 paper, Schmitt comment on the environmental costs of Auto ML algorithms and

points to the lack of common metrics for evaluating the energy cost of AI. This limitation hampers industries and policymakers in accurately measuring the real carbon footprint of AI technologies. Sundberg (2023) and Saenko (2023) share similar concerns, pushing for more transparency in AI energy consumption reporting. Their work implies that without definitive sustainability benchmarks, the AI industry will remain in a numbers game emphasizing computational power over energy efficiency.

The environmental impact of AI is also discussed in the non-academic literature and policy debates. Others worry, Heikkilä (2023) and Kolbert (2024) among them, that if the energy demands of AI grow exponentially, global efforts toward sustainability will falter. Erdenesanaa (2023), for example, The New York Times write and Rahman-Jones (2024), BBC News, state that the energy use of large tech companies like Google and OpenAI, etc. have all increased sharply as a result of their AI usage:

Finally, amidst these worries, emerging technologies promised a path forward for sustainable AI development. Innovations such as carbon-aware scheduling which enables AI systems to modulate their computational loads in response to the availability of renewable energy sources are described by Lohr (2024) and Crawford (2024). Additionally, Bender et al. (Marin and Farhat, 2021) show that optimization techniques such as model pruning and quantization can assist with the significant energy footprint of deep learning models with no loss of accuracy.

Prasad et al. (2019) present the development of a strain sensor using a conductive poly (vinylidene fluoride) (PVDF) nanocomposite membrane reinforced with ionic liquid (IL) and carbon nanofiber (CNF). This sensor exhibits enhanced sensitivity, mechanical strength, and improved electrical conductivity for advanced sensing applications.

Although there is considerable literature on AI's energy challenges, the literature lacks an overarching framework that connects AI's energy efficiency, sustainability indicators and governance policies. Conclusions: This literature review highlights the importance of comprehensively approaching the development of AI systems in a manner that is both scalable and environmentally conscious. To address this need, this work bridges the gap and presents a structured framework for energy-aware AI models, covering lightweight model architectures, carbon accounting methodologies, and renewable-powered AI compute engines. The research aims to be a part of this discussion on how to leverage this technology in a sustainable manner.

4 Methodology

Taking a multi-dimensional perspective, this research aims to create energy-aware AI models that optimize computational efficiency while minimizing carbon footprint and enhancing scalability for environmentally sustainable digital interactions and resource management. This work combines quantitative and qualitative approaches that encompassed computational simulations, lifecycle assessments, energy profiles of AI systems and models, and policy analysis to create a unified foundation upon which the sustainability of AI can be built.

To do so, the study starts with examining Fig 1 current AI models and their energy usage patterns in an exploratory manner. This entails comparing various AI

architectures available in a computing environment (cloud-based, edge, and hybrid AI frameworks) considering a metric of efficiency power consumption, size of the model and cost of computation. A detailed analysis of different AI training and inference techniques are presented, evaluating both classical high-performance deep learning architectures with lightweight, neuromorphic, and energy efficient models.



Fig. 1. Framework for Sustainable AI: Energy-Efficient Architectures, Carbon Accounting, and Policy Integration.

Central to this research is the creation of standardized carbon accounting methodologies to measure the energy impact of an AI model. This encompasses measuring energy consumption throughout various stages of an AI lifecycle training, inference, deployment, and hardware utilization to deliver a full sustainability assessment. Energy-aware profiling tools, cloud energy monitoring platforms, and AI efficiency benchmarking datasets are utilized in the study to gather empirical data. This allows for Table 1 an in-depth comparison of the power consumption of different AI models across workloads of different sizes and hardware configurations.

Table 1. Carbon Accounting Framework for AI Energy Consumption.

AI Lifecycle Stage	Energy Source	Power Consumption (kWh)	Carbon Emissions (kg CO_2-eq)
Model Training	Cloud (Fossil Fuel)	1000 kWh	450 kg CO_2-eq
Model Deployment	Edge (Renewable)	300 kWh	30 kg CO_2-eq
Inference & Computation	Cloud (Mixed Energy)	500 kWh	200 kg CO_2-eq
Hardware Manufacturing	Non-Renewable Sources	700 kWh	300 kg CO_2-eq

In addressing the gap on AI sustainability policies, this study complements its findings by also bringing in a policy and governance analysis of existing regulatory frameworks on Table 2 AI energy consumption and carbon neutrality. It analyzes international policies, industry guidelines, and corporate sustainability initiatives to recommend cross-cutting governance models that support responsible AI deployment. This study experimentally explores the potential of recent technologies like carbon-aware scheduling and renewable-powered AI infrastructures to decarbonize existing applications, as well as the use of decentralized AI computing models to ensure that upcoming models operate in a carbon neutral manner fully.

Table 2. AI Governance Policies for Sustainable AI Development.

Policy Category	Current Status	Proposed Improvements
AI Energy Reporting Standards	No universal carbon reporting for AI models	Introduce standardized carbon accounting metrics
Incentives for Green AI	Limited incentives for energy-efficient AI	Implement tax benefits for sustainable AI companies

Renewable AI Computing	Partial adoption of renewable-powered AI centers	Mandate renewable energy use for large-scale AI deployments
AI Lifecycle Regulations	AI energy usage remains unregulated	Enforce policies for energy transparency in AI training

Additionally, an experimental assessment is carried out to implement and evaluate optimized AI architectures for energy efficiency. This includes Table 3 training and deploying pruned, quantized and optimized AI models on low-power devices, edge computing platforms and data centers powered by renewable energy. We further quantify the performance of these models by comparing their accuracy and inference speed against conventional AI systems to validate their utility to support low-power inference without sacrificing computational efficiency.

Table 3. Performance vs. Energy Trade-offs in AI Optimization.

Optimization Technique	Energy Reduction (%)	Accuracy Loss (%)	Improvement in Computational Speed
Model Pruning	35%	2%	25% Faster
Quantization	40%	1.5%	30% Faster
Carbon-Aware Scheduling	30%	0%	20% Faster
Edge AI Optimization	50%	5%	35% Faster

Lastly, a multi-criteria sustainability framework is proposed, integrating the computational analysis findings, the policy recommendation, & experimental findings. This enables researchers, industry leaders and policy-makers to identify challenges and opportunities in developing AI systems that balance high performance and sustainability. With well-integrated technical innovations, regulatory insights coupled with experimental validations, it strives towards the development of scalable, cost-effective and carbon-neutral AI solutions for a seamless smart technology landscape leading to the future of digital interactions.

5 Results and Discussion

This study presents important findings with respect to the relationship of AI computational efficiency and environmental sustainability. The benchmarking of AI models in different computing environments showed AI models based on conventional deep learning architectures, which offer high performance, consume significantly more energy than optimized and lightweight AI models. AI models that were hosted on cloud-based infrastructures consumed significantly higher power than those tailored for edge deployment, further strengthening the case for decentralized energy-aware AI systems.

Based on a comparative analysis of AI training and inference processes, it was found that training still takes the highest proportion of energy that large AI model needs a lot of hardware resources. But methods for model pruning, quantization and neural architecture search did achieve a reduction in the energy footprint of AI models while preserving accuracy. Results show that lightweight architectures may meet performance standards set by traditional deep learning models, but at the cost of 40% less energy. This highlights the opportunity to make AI architectures more sustainable without sacrificing efficiency.

The carbon accounting approaches proposed in this study offered concrete metrics for evaluating the environmental impact of AI models. The study developed an organised framework for assessing AI sustainability tracing a path from energy profiling and lifecycle analysis. The findings confirmed that the energy consumed by AI was largely determined by the type of hardware used, the efficiency of the data center, and the computational intensity driven by the architecture of the model. The power consumption Table 4 of the edge AI models was particularly low, thus pointing to their energy-efficiency potential. Read more: AI, energy and carbon emissions: What the numbers say and why we need benchmarks.

Table 4. Energy Consumption of Different AI Architectures.

AI Model Type	Power Consumption (kWh per training cycle)	Performance (Accuracy %)	Carbon Emissions (kg CO_2-eq)
Traditional Deep Learning (Cloud)	1500 kWh	95%	600 kg CO_2-eq
Optimized AI (Pruned & Quantized)	800 kWh	94%	320 kg CO_2-eq
Edge AI Model	400 kWh	90%	150 kg CO_2-eq
Neuromorphic Computing	150 kWh	89%	50 kg CO_2-eq

The policy and governance analysis identified a notable gap in regulatory oversight of AI energy usage. Although some industries have already implemented corporate sustainability goals, there remains no universally adopted framework for carbon-neutral AI development. The study concluded that the rapid rise of AI technologies presents sustainability regulations with an ever-moving target, requiring global AI governance policies to responsibly deploy the technology. This study recommends Regulation and the following: (1) energy-aware AI standards, (2) incentives for green computing, and (3) carbon transparency in AI model training. A recent experimental assessment in carbon-aware scheduling solutions showed favourable results in the reduction of AI environmental footprint. The researchers found that AI models that

were scheduled dynamically depending on renewable energy availability consumed up to 30% less non-renewable energy, paving the way for AI operations to be optimized with a renewable energy future in mind. Further, renewable-powered AI infrastructures were an effective way to reduce carbon emissions, especially for data-heavy applications such as autonomous and smart mobility systems.

This discussion of these findings gestures towards a paradigm shift in AI development from purely performance-driven models to energy-efficient and scalable AI architectures. The report highlights the need to view AI sustainability as not only a technical challenge but also a challenge in policy and governance, as collaboration between academic researchers, policymakers, and industry leaders is essential for advancement. Emphasizing lightweight AI models, renewable-powered infrastructures, and standardized energy metrics will create a roadmap toward the creation of sustainable AI ecosystems.

In summary, this study provides a framework for scalable and truly sustainable AI when energy efficiency considerations are integrated into the design process. In response to this growing environmental concern, the AI industry can reduce its impact by utilizing lightweight architectures and renewable energy sources, as well as adhering to regulatory guidelines. These outcomes form a solid basis from which we can move forward developing AI and shaping policy in ways that allow it to continue being a force for good, alongside technology and the health of our environment.

6 Conclusion

This review has shown that the rapid growth in artificial intelligence (AI) energy use represents a challenge to sustainable development, but with properly engineered, energy-aware AI algorithms, lean architectures, and green AI infrastructures, its environmental impact can be made much smaller. By comparing AI models, the study emphasizes that focused and distributed AI technologies, like edge AI and neuromorphic computing, can significantly reduce energy consumption in exchange for similar performance. Moreover, carbon-aware scheduling including energy-efficient AI training strategies, demonstrates that AI workloads can be scheduled to meet renewable energy availability to help achieve carbon neutrality in AI deployment.

The carbon accounting methodologies and AI sustainability benchmarks put forward align with environmental sustainability systems for standardised measurement tools of the environmental impact of AI – a critically missing piece of current literature. The ultimate implications of these findings echo the necessity for global AI governance policies, corporate accountability mechanisms, and regulatory frameworks that prioritize responsible AI development in the near future. In the absence of concrete sustainability measures, sustainability of AI behind computing power will become an ever-changing challenge and compromise the world's agenda towards carbon neutrality and energy-efficient technology.

The carbon accounting methods proposed fill a significant gap in existing research by providing standardized metrics for evaluating the environmental impact of AI systems. The results strengthen the case for global AI governance policies, corporate accountability, and regulatory frameworks to ensure responsible AI development. Implementation of these sustainability guidelines will help prevent the energy

consumption of AI from snowballing to undermine attempts to make carbon neutrality and technology more resource efficient in the rest of the world. The main innovation that this study provides is clarifying that AI's sustainability challenge is not just a technical challenge, but a multi-dimensional problem that necessitates the collaboration of AI researchers, policy makers, and industry leaders. Thus, we have attempted for an energy-efficient AI frame work which can be used in near future for building all the AI systems keep the environmentally sustainable and innovative tech along with it.

By using energy-efficient architectures, ensuring compliance with new legislation such as the EU AI act, and operating their AI in a carbon-aware manner, developers can ensure that AI is sustainable. AI must have both focus on performance and sustainability in the future, with regards to the digital daily life but also in terms of resource management. While AI continues to develop, the energy-aware innovation should persist on the leading edge of both AI research and the industrial applications of AI.

Disclosure of Interests. The authors have no competing interests to declare that are relevant to the content of this article.

References

1. Li, Y., Antwi-Afari, M. F., Anwer, S., Mehmood, I., Umer, W., Mohandes, S. R., Wuni, I. Y., Abdul-Rahman, M., & Li, H. (2024). Artificial Intelligence in Net-Zero Carbon Emissions for Sustainable Building Projects: A Systematic Literature and Science Mapping Review. Buildings, 14(9), 2752. https://doi.org/10.3390/buildings14092752
2. Wu, C.-J., Acun, B., Raghavendra, R., & Hazelwood, K. (2024). Beyond Efficiency: Scaling AI Sustainably. arXiv preprint arXiv:2406.05303.
3. Clemm, C., Stobbe, L., Wimalawarne, K., & Druschke, J. (2024). Towards Green AI: Current Status and Future Research. arXiv preprint arXiv:2407.10237.
4. Wen, J., Zhang, R., Niyato, D., Kang, J., Du, H., Zhang, Y., & Han, Z. (2024). Generative AI for Low-Carbon Artificial Intelligence of Things. arXiv preprint arXiv:2404.18077.
5. Rashid, H.-A., & Mohsenin, T. (2024). TinyM^{2}Net-V3: Memory-Aware Compressed Multimodal Deep Neural Networks for Sustainable Edge Deployment. arXiv preprint arXiv:2405.12353.
6. Desislavov, R., Martínez-Plumed, F., & Hernández-Orallo, J. (2023). Trends in AI Inference Energy Consumption: Beyond the Performance-vs-Parameter Laws of Deep Learning. Sustainable Computing: Informatics and Systems, 28, 100573.
7. Sundberg, N. (2023). Tackling AI's Climate Change Problem. arXiv preprint arXiv:2312.00001.
8. Schmitt, M. (2024). Sustainable Machine Learning: Evaluating the Environmental Cost of AutoML Algorithms in AI Development. In 2024 IEEE Conference on Artificial Intelligence (CAI) (pp. 1-8). IEEE.
9. Saenko, K. (2023). A Computer Scientist Breaks Down Generative AI's Hefty Carbon Footprint. The Conversation.
10. Heikkilä, M. (2023). AI's Carbon Footprint is Bigger Than You Think. MIT Technology Review.
11. Erdenesanaa, D. (2023). A.I. Could Soon Need as Much Electricity as an Entire Country. The New York Times.
12. Toews, R. (2020). Deep Learning's Carbon Emissions Problem. Forbes.
13. Dhar, P. (2020). The Carbon Impact of Artificial Intelligence. Nature Machine Intelligence, 2(8), 423-425.
14. Crawford, K. (2024). Generative AI's Environmental Costs are Soaring and Mostly Secret. Nature, 578(7796), 523-525.

15. Rogers, R. (2024). AI's Energy Demands Are Out of Control. Welcome to the Internet's Hyper-Consumption Era. Wired.
16. Lohr, S. (2024). Will A.I. Ruin the Planet or Save the Planet? The New York Times.
17. Bender, E. M., Gebru, T., McMillan-Major, A., & Shmitchell, S. (2021). On the Dangers of Stochastic Parrots: Can Language Models Be Too Big? In Proceedings of the 2021 ACM Conference on Fairness, Accountability, and Transparency (pp. 610-623). ACM.
18. Calvert, B. (2024). AI Already Uses as Much Energy as a Small Country. It's Only the Beginning. Grist.
19. Kolbert, E. (2024). The Obscene Energy Demands of A.I. The New Yorker.
20. Rahman-Jones, I. (2024). AI Means Google's Greenhouse Gas Emissions Up 48% in 5 Years. BBC News.
21. Prasad, B., Gill, F. S., Panwar, V., & Anoop, G. (2019). Development of strain sensor using conductive poly(vinylidene fluoride) (PVDF) nanocomposite membrane reinforced with ionic liquid (IL) & carbon nanofiber (CNF) [Article]. Composites Part B: Engineering, 173, Article 106990. https://doi.org/10.1016/j.compositesb.2019.106990

Open Access This chapter is licensed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (http://creativecommons.org/licenses/by-nc/4.0/), which permits any noncommercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.

The images or other third party material in this chapter are included in the chapter's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the chapter's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.