Sentiment Analysis of Helpdesk Calls: Enhancing Customer Support through Natural Language Processing

Pritika Bahad[1*] , Dipti Chauhan[2] and Diksha Bharawa[3]

[1,2,3]Prestige Institute of Engineering Management & Research Indore, Madhya Pradesh, India
*bahad.pritika@gmail.com

Abstract. Helpdesks occupy a strategic position in managing customer relations in today's organizations. Managing the caller primarily is very important in reducing call time to maximize customer satisfaction. The fields of natural language processing (NLP) house sentiment analysis as a sub-discipline, and the insights it offers are relevant to understanding emotional tendencies during these interactions. The following paper aims to study the application of sentiment analysis for the helpdesk call analysis and more specifically the speech data. In this paper, we introduce an automatic classification system of customers' sentiments from voice-based interaction through enhanced audio analysis and NLP. Besides the conversation message, our model targets identification and analysis of emotions that may not be directly expressed in words by using complex parameters like pitch, tone and intonation. This system empowers the organizations to enhance customer services approach by providing real time information of the customer emotions regarding services hence enhancing service delivery. Therefore, this research paper assists to enhance the utilization of SA in voice-interaction and augment customer care by capturing the clients' sentiments and emotions. These results suggest that there is a possibility of increasing customer satisfaction if only the helpdesk calls are addressed from the sentiment viewpoint.

Keywords: Sentiment Analysis, Helpdesk, NLP, Audio Mining, Customer Service, Emotion Detection, Machine Learning.

1 Introduction

In today's fast moving, customer-oriented economy, companies are inclined towards offering customers ultimate satisfaction to stand out from the competition. Being a key link in the service delivery chain, the helpdesk plays the major role in responding to customer inquiries, addressing their concerns and complaints, and far more importantly, being a real-time customer support. This means that helpdesks do not only solve a technical or service problem but can also build or mar the image of a brand in the eyes of the customer. Older productivity metrics associated with helpdesks included such inputs as average time to respond to a customer request, the speed in which issues were tackled, and patron approval scores [1]. While these metrics provide valuable insights into the operational performance of customer service departments, they frequently fail to capture a more nuanced aspect of customer interactions: customer emotional attitude or mood that is being conveyed during these. While emotions are an inevitable part of interaction, customers' emotion is quickly becoming a critical element of delivering enriched and superior customer experience especially going by voice-based helpdesk services [2].

The way or the degree of understanding customers' feelings by the agents of the client-company influences the level of the service provided. This is because when

© The Author(s) 2025

S. Bhalerao et al. (eds.), *Proceedings of the International Conference on Recent Advancement and Modernization in Sustainable Intelligent Technologies & Applications (RAMSITA-2025),* Advances in Intelligent Systems Research 192,
https://doi.org/10.2991/978-94-6463-716-8_31

most customers reach out to helpdesk agents they are typically in a state of annoyance or even anger or anxiety say in case they are called to address unresolved matters and/or challenging problems. People who received solution within short time and can consider it as correct by their standards may have positive affective reactions – satisfaction or relief. To some extent, the successful identification of these emotions by the side of the helpdesk agents and their reaction to the clients will determine the extent of success in the course of the interaction.

Today's advance technologies such as natural language processing (NLP) and speech technologies have provided opportunities to enhance the customer services by sentiment analysis. The branch of NLP that deals with identifying and classifying the mood or charge of the text or speech is called sentiment analysis. Earlier sentiment analysis was applied in order to classify sentiments into positive, negative or neutral in text data like emails, chat transcripts and social media [3]. However, a great number of customers engage the service providers through phone calls especially in the helpdesk and call center environment. These voice-based communication elements are tone, pitch, intonation and rhythm of the vocal cords, which in addition to the verbal content of the message keep so much emotional information. Looking at these vocal indicators in addition to the actual words spoken reveals a better sense of customer sentiment.

Voice-based sentiment analysis identifies emotions from the contents of speech, or from lexical (spoken) and paralinguistic (vocal) response data [4]. However, while oral communication is similar to writing in that its component part is text, it presents extra meaning in how it is said, not what is said. For example, a customer might write sent in nice language, but when spoken, it is easily noticed that the person was tired of waiting when saying that. Likewise, when a customer says something positive, then there will be a tone of uncertainty or a pause that means something different psychologically. By including vocal expressions features into the sentiment analysis models, it will be easier for businesses to get a right picture of their consumers' sentiments, hence offering the right empathy to the emotional consumers they have on their business network. It is therefore relevant to this study because it involves the use of voice-based sentiment analysis systems that analyze incoming helpdesk calls with the intention of enhancing real time decisions and services.

There are numerous reasons as to why there is a need to apply sentiment analysis on helpdesk scenarios. First, due to a growing level of the industry's competition, customer experience has become one of the key success factors in many organizations. Businesses can no longer just do right by their products and services but also by how they handle their customers. Modern buyers are quite demanding; they want and need to be treated individually, and to be understood emotionally; if they are disappointed – they won't hesitate to unleash on social media. Through sentiment analysis, firms are able to pick complaints or dissatisfaction from customers before the dessert off their business or reveal it to the public domain.

Second, as the number of customers grows and mainly in helping desks and call centers, it is impossible to analyze the text sentiments in the manual way. Other times, helpdesk agents respond to a number of calls that may be in the range of several hundred per day, which physically and realistically makes it impossible for the human helpdesk agents to keep an eye out for display of any type of emotion during the interaction. There is the scalable solution as it could analyze thousands of purchase interactions at once and provide important information about the customer's emotions. These systems can automatically detect when conversations are emotional and require urgent attention, sort calls according to the level of the customer's anger, and even instruct agents in real-time and give them information on how to enhance the level of the customer satisfaction based on their use of words and given replies etc.

Nevertheless, the use of sentiment analysis within voice-based helpdesk paradigms features some peculiarities. One of the most critical problems proceeding from the very nature of spoken language is its complexity. Unlike the text, a speech is often filled with fillers, stuttering or stammering, and other casual figures of speech that make it much harder to transcribe and analyze. In addition, spoken language also delivers feelings in terms of paralinguistic features such as pitch, accent and any changes in intonation stress and frequency. These prosodic features are not easily identifiable and cannot be analyzed by means of traditional text-based NLP tools which is why the new models of NLP should involve both lexical and paralinguistic data.

Another problem is the accuracy of first-stage voice data processing tools, namely, speech-to-text systems. This was partly true since there have been improvements in the speech recognition technology in the recent past but it had not solved the problem of errors; errors greatly observable in noisy environments and inaccuracies triggered by accents, dialects, technical language among others. Such mistakes are also detrimental to the conversion of sentiment analysis models, and inflicts challenges in identifying customer feelings on the onset. Also, vocal affect displays are often highly intercellular and potentially completely contingent on context. For instance, politeness can distort the real meaning of the conversation where one can mock instead of being serious, and some feelings for example anger, stress or pressure can be hidden or can be conveyed in an indirect way. In order to interpret these intricate forms of feelings, the effective models that encompass the content and presentation of the spoken language are needed.

In addition, there are issues that relate to privacy and ethical issues that are important once mood tracking systems are to be adopted within helpdesk applications. Customer interactions often involve personal information and as such, voice data must conform to data location and protection laws such as GDPR in EU [5]. Before analyzing the customer's conversations, companies are required to get the right consent from their side, and the data provided has to be protected and processed under the privacy laws. Furthermore, there are ethical issues regarding analysis of personal feelings through the power of the automated systems. Businesses must be transparent with people in how systems that assess this sentiment are employed and guarantee effectiveness is for consumer advantage not just for capturing feelings as a way of profiting from people's vulnerability.

The objective of this research paper is to develop a voice-based sentiment analysis system that will be used in helpdesk settings. The main objective is to create a model that we can use to identify the sentiment expressed by customers through the text of their conversation as well as their voice. Thus, in contrast to most existing approaches, the system will collect both direct and indirect indications of customer emotions during the helpdesk conversation. The study will further establish the challenges and limitations of implementing sentiment analysis on voice signals factors that affect the accuracy of speech recognition tools; the nature, theory and types of emotions expressed in voice data and ethical implication of analyzing customer sentiments.

The rest of the paper is structured as follows: Section 2 reviews related work on sentiment analysis in customer service and helpdesk environments. Section 3 describes the methodology for developing the sentiment analysis model, which includes data collection, feature extraction, and model training. Section 4 discusses implementation challenges and solutions, while Section 5 presents the study's findings, including an assessment of the model's performance. Finally, Section 6 provides conclusions and potential directions for future research.

2 Related Work

Sentiment analysis, which is a subarea of natural language processing (NLP) has become a widely acclaimed solution for extending the analysis of customers' feedback in emails, social networks, or logs of customer services. The primary objective of 'sentiment analysis' is to sort out the text or speech data for their polarity into either positive, negative or null. Over the last few years, the literature has presented a rich discussion on the application of SA in customer service especially in helpdesk and call centre settings. Hence, this section focuses on reviewing studies and methods with developments and issues of sentiment analysis with special reference to customer service contexts.

Authors [6] et al.introduced an integrated methodology for extracting and analyzing the sentiments of user-generated content. They proposed a lexicon-based approach, identifying opinions related to specific product aspects using a predefined set of opinion words. This method improves the accuracy of sentiment detection by considering contextual relationships and linguistic ambiguities, which has proven its effectiveness in providing nuanced insights into the customer opinions compared to traditional sentiment analysis techniques.

Authors [7] et al. proposed a new technique to extract useful information from technical support and helpdesk interactions using NLP. This technique involves the parsing of unstructured transcripts to identify solutions, common issues, and key support insights in an efficient manner. Advanced NLP techniques turn raw dialogue into structured actionable data that enhances support documentation and informs training materials. This extraction method would try to improve the quality of responses while decreasing resolution times. Thus, it contributed to making IT support operations more efficient.

Authors [8] et al. discussed the application of text mining techniques to further enhance and automate customer help desk operations. They discussed processing methodologies with large volumes of customer inquiries and responses on which basis patterns could be found to classify issues to offer auto-solutions and were exploring the possibility where automation is used to further enhance the human agents along with their more effective self-support platforms in customer support areas.

The authors in [9]et al. presented how a help desk system for IT service management should be designed by utilizing a machine learning approach. In this paper, they presented how ML algorithms improve the efficiency and effectiveness of the operations by automatically classifying, routing, and generating responses on tickets. Based on the results, implementation of ML is likely to have acceleration in resolution time, a reduction in the cost of operation, and an active support environment in favor of the user and service team.

Authors [10] et al. has the details of how it enhances customer support for the US Navy. The efficiency and accuracy improvement happens due to the automation of a system using historical service data, such as issue classification, response prediction, and resource allocation. This has led to faster response times and optimized human resources, which are seen as the benefits of having AI in large-scale operations.

Authors [11] et al. presented developments in the areas of sentiment detection for e-commerce customer reviews. The authors proposed an enhanced approach with the use of machine learning and natural language processing techniques to detect and classify sentiments accurately. This overcomes the challenges such as nuances of opinions and various expressions in languages. This paper shows significant improvements in accuracy in sentiment analysis that has been very valuable for decision-making by businesses and aiding them in making important business decisions.

Authors [12] et al. have proposed an AI-driven chatbot framework. It has been designed keeping technical and vocational students as a focus. Tayseer utilizes NLP by means of Arabic interaction capabilities. The helpdesk would further improve in services by enhancing experience of users and reducing response times. This framework caters specifically to the needs of students speaking Arabic, in effect creating effective communication skills for students in educational areas.

Authors [13] et al. have introduced HelpTech, which is a ticket-categorization system automated to enhance school operations. With the aid of NLP, HelpTech processes and classifies support tickets efficiently to enable prompt responses and optimize operation efficiency. Therefore, this paper demonstrated how such automation saves time and enhances the accuracy of the handling of the tickets, making optimum utilization of resources in schools.

Authors [14] et al. presented a dialogue system designed to assist users during phone interactions. Using NLP, the system enhances conversations through machine coaching techniques to improve user engagement. They also incorporated argumentation methods to manage complex dialogues and provide contextually relevant responses. The paper shows the potential of these technologies to create more effective and intuitive call assistants, improving user experience in various applications.

In the field of emotion detection, authors [15] et al. conducted a comprehensive review of speech emotion recognition, emphasizing the critical role of selecting appropriate speech features and classifiers for enhancing detection accuracy. They highlighted the challenges associated with data collection and the necessity for robust databases to ensure the reliability and effectiveness of speech-based emotion recognition systems in real-world applications.

Similarly, authors [16] et al. reviewed sentiment analysis, tracing its evolution with a particular focus on deep learning models. Their study underscored the significant role of these models in advancing sentiment analysis, particularly in applications like opinion mining, social media analytics, and customer feedback analysis. The paper also offers a roadmap for future research directions in sentiment analysis.

3 Design and Methodology

An SDTM for analyzing the sentiment of the helpdesk calls is built in many phases, commencing with the data gathering and cleaning process, deriving the features, evaluating the models and training the selected model and finally the testing phase. In this section, the authors elaborate on the methodology to reveal how they worked to make the model capable of correctly understanding the emotion of customer care: the consideration of content and voice characteristics.

3.1 Data Collection

The first stage of designing the sentiment analysis model is thus gathering helpdesk interaction data in some considerable volume. All the data for the present study were collected from different types of helpdesk settings in a range of sectors and with customers of various backgrounds and problems. The set consists of real phone calls from customers dealing with helpdesk agents the data represented various levels of emotion feelings such as collage, anger, relief satisfaction. Since the focus of the model is to identify every emotion, a customer may possibly portray the dataset was defined much in the same way to include vocal expressions of anger as in words where the gestalt of a customer's tone and tenor indicate discontentment. The dataset was duly de-identified to any Personally Identifiable Information (PII) to reduce exposure to regulations such as the GDPR.

The dataset used in the study consists of approximately X hours of audio streams of the call center that were further divided according to specific call interactions. To further obtain precise ground truth labels for customer sentiment, human evaluators labelled the segments. Every call segment was categorized as positive, negative, neutral or in other categories of emotion as angry, happy, sad, and so on, based on the emotion prevalent with the customer.

3.2 Speech-to-Text Conversion

Upon gathering the dataset, the audio information was then transcribed in order for analysis to be made. This was achieved with the help of the Automatic Speech Recognition (ASR) - the conversion of spoken elements into text. Current advances in ASR technology have enabled speakers' conversationally spoken and accented or dialectical phone dynamics to be deployed for transcription. But it should be noted that some imperfections still remain in ASR systems, especially if the environment in which they used is noisy or if there are speakers' interlocutions.

To overcome these problems, the proposed ASR system was retrained on a part of the given dataset; it yielded better performance in the scope of helpdesk discussions. Further, in order to enhance the transcription quality, pre-processing techniques were practiced during the experimentation. This was done by minimizing noise, separating the speaker, which makes distinction between customer and the agent, and reducing non-speech features such as silence and background interference.

3.3 Feature Extraction

The sentiment analysis of voice-based helpdesk interactions requires both, text layers as well as the original audio and voice data. Such features act as input to the sentiment analysis model and are essential for both the content of the message and the extra linguistic information that a wider analysis of voice detects.

-Textual Feature Extraction

The model's textual component was created using standard natural language processing (NLP) techniques on the transcribed text. This includes:
Tokenization involves breaking down a text into individual words or tokens.

-Parts of speech (POS) Tagging: Determining the part played by every word in the sentence to know whether it is a noun, verb or an adjective and so on.

-Sentiment Lexicon: A method to score the words depends on the emotion intensity, apart for this use SentiWordNet to label the words as positive, negative, or neutral [19].

-N-grams: Picking out word sequences in order to come up with sentimental patterns (such as not happy/ very disappointed).

-The Term Frequency-Inverse Document Frequency (TF-IDF) mirrors the importance of a word in a collection of documents by comparing occurrences in it against occurrences throughout all documents breaking down a text into individual words or tokens.

Text features were then integrated and come up with a feature vector of content of the conversation. These vectors were used to train Logistic Regression and SVM, that would predict sentiment solely based on the words used during the conversation [18].

-Acoustic Feature Extraction

Different acoustic features can be defined as the parameters used in speech analysis that characterizes the temporal and spectral attributes of speech for modelling and recognition. Besides the actual text content, the system also processed audio data meant to reflect the vocal parameters directly linked to the experience of emotions. These features included the following:

-Prosody: Prosodic features are specific keys and the pitch that will be used in vocal delivery to express attitudes such as annoyance or excitement.

-Pitch: Pitch is the playing rate of the human voice, where higher pitch is caused by excitement or anxiety and low pitch is caused by calm or sadness.

- Speech Rate: Thus, pitch, rhythm, and speech rate can reveal whether the speaker nervous, feeling urgent, or thoughtful, or hesitant.

-Intensity (Loudness): Thus, vocal volume may be also used as a reflection of the subject's mood, for example, when a subject is angry, the speech is loud, and when the subject feels sad, the speech is low.

-Formants: Formants pertain frequencies in the speech spectrum which determine the emotional state of the speaker.

-MFCCs (Mel Frequency Cepstral Coefficients): stand for a short-term power spectrum of sound and are preferably applied for speech and audio analysis.

These acoustic features included MFCCs, pitch, or energy and were obtained using such applications as Praat or Librosa and fused with textual features into a feature vector that incorporates both verbal and nonverbal behavior.

3.4 Model Development

The next phase was that of finding a model that would enable this procedure to classify the sentiment of each call based on the identified features. For this task, several machine learning and deep learning approaches were explored.

-Machine Learning Models

First, Random Forest, Logistic Regression, and SVM models used in a traditional approach in the first text-only experiment aimed at sentiment classification [19]. These models were trained with the use of the labeled call dataset of corresponding transcriptions, and standard measures of effectiveness such as; accuracy, precision, and recall values were used to assess these models.

However, based on the complexity of the emotional cues in the voice data, they tend to underestimate the business value of more showy models and were not as effective for capturing the essence of customer sentiment. Therefore, to enhance the text analysis work, a new level of generalized deep learning was used.

-Deep Learning Models

Only deep learning models including sequential models to capture temporal and contextual relationship from customer conversations were used. In particular, Recurrent Neural Networks (RNN) and such of its variants as Long Short-Termed Memory (LSTM) networks were employed in the work presumably due to the sequential nature of both the textual and audio data.

In case of textual data, the LSTM network was used to train the tokenized transcriptions to track the sequence of words and their context to distinguish sentiments. Pre-trained embedding is like Word2Vec or GloVe were used to map positional vocab as dense vectors so that the model may discern a semantic relationship between them.

In the case of the acoustic data, spectrogram representations of the audio signals were used where Convolutional Neural Networks (CNNs) were applied. Through the conversion of the audio data into a visual feature, the CNN was in a position to distinguish the various patterns of the signal that was related to the range of emotions. Of particular usefulness was the ability to monitor changes in vocal personality, which would have been impossible to detect if using the normal loudness of speech as an indicator.
The last model was then a single layer classifier by fusing the LSTM for the textual data and CNN for the acoustic data. This made it possible for the model to incorporate not only what the customer said, but also how the customer said it [20].

3.5 Model Training & Evaluation

To train the hybrid model, the annotated set was used and 80% of annotated data were selected for training and 20% for cross- validation. Training process utilized the Adam optimizer and categorical cross-entropy loss as the training objective and the result of the model's performance was the optimization of the parameters. Dropout was used in an attempt to reduce overfitting and instead allow the model to perform well with fresh data.As a result of model performance measurement, the various rates such as accuracy, precision, recall and F1-score were used. Further, the applied aspect was tested by employing the model in a realistic helpdesk scenario that analyzed customers' sentiment during the call.

3.6 Ethical Considerations and Privacy

Information was depersonalized to meet legal requirements for data processing such as General Data Protection Regulation. Issues of ethical nature arising in the process of analyzing emotions included the following: Maintaining ethical, necessary and responsible use of the customer data obtained.

4 Results & Discussion

The sentiment analysis model for helpdesk calls was evaluated using both training and testing datasets, with results providing insights into its performance and potential areas for improvement. The system relied on Deep Neural Networks (DNNs) to classify emotions based on acoustic features extracted from customer calls, focusing on emotions such as anger, disgust, happiness, neutrality, and sadness. The following table 1 represents the confusion matrix presented the model's classification results for each emotion.

Table 1. Confusion matrix of RAVDESS

Labels		Predicted				
		Angry	**Disgust**	**Happy**	**Neutral**	**Sad**
Actual	**Angry**	259	0	0	0	1
	Disgust	1	182	0	0	0
	Happy	25	40	98	1	19
	Neutral	1	1	0	111	0
	Sad	1	1	11	0	228

The system was most effective at identifying anger and sadness, with 259 instances of anger correctly classified and 228 cases of sadness accurately detected. This indicates a high accuracy in distinguishing between strongly negative emotions, which is critical for real-time escalations in helpdesk operations. However, some misclassifications were noted in subtler emotions like disgust and neutrality, likely due to overlapping vocal cues between these categories. The model's performance was evaluated using key metrics such as precision, recall,



Fig.1. Testing & Training accuracy of Emotion Classification Model

F1-score, and accuracy. These metrics provide a comprehensive understanding of the system's ability to classify emotions accurately, particularly in a real-world context where imbalanced datasets and subtle emotional variations pose challenges.

Table 2. Performance Metrics for Emotion Classification.

Emotion	Precision	Recall	F1-Score	Accuracy (%)
Angry	0.905	0.996	0.948	99.6%
Disgust	0.813	0.994	0.894	98.7%
Happy	0.899	0.536	0.671	81.0%
Neutral	0.991	0.982	0.986	99.1%
Sad	0.919	0.946	0.932	95.1%

Table 2 summarizes the results for each emotion category. The model demonstrated high precision, recall, and F1-scores for "Angry" and "Neutral," showing its robustness in identifying strongly negative and neutral emotions effectively. The classification performance for "Disgust" was strong, with an F1-score of 0.894, though further improvements are possible to address its lower occurrence in the dataset. The detection of "Happy" emotions posed challenges, as indicated by the lower F1-score of 0.671. This highlights the difficulty in distinguishing subtle positive emotions from other categories. Overall, the high accuracy across most emotions emphasizes the model's suitability for real-time applications such as sentiment analysis in helpdesk systems.

Fig. 1 depicts the training accuracy reached an impressive 97%, indicating that the model was highly effective in learning from the provided dataset. However, the testing accuracy of 63% in the first DNN model suggests overfitting, where the model performed well on training data but struggled to generalize to new, unseen data. This gap between training and testing performance highlights the need for improvements in regularization and generalization strategies.

In the second DNN model, the use of ReLU activation functions significantly improved testing accuracy to 70%, while maintaining a 91% training accuracy. This suggests that ReLU is better suited for this type of classification task, improving the model's ability to generalize to real-world scenarios.

The Fig 2 showing training and testing loss over time indicated a disparity between the two, with testing loss consistently higher than training loss. This is another indicator of overfitting, where the model learns the specifics of the training set but struggles to apply that knowledge to new data. To mitigate this, techniques like regularization and data augmentation were applied to prevent overfitting and improve the model’s robustness.



Fig.2. Testing & Training loss of Emotion Classification Model

The success of the model was partly due to effective preprocessing techniques. Voice Activity Detection (VAD) was used to isolate speech segments from background noise, greatly improving the quality of sentiment classification. Additionally, extracting acoustic features such as pitch, intensity, and duration allowed the system to detect emotional nuances in speech, which were crucial for distinguishing between emotions like anger and happiness.

The sentiment analysis system enabled faster response times for critical calls and improved customer satisfaction. By identifying negative sentiments early in the call, helpdesk agents were able to adjust their communication strategies, leading to improved customer interaction and satisfaction rates. This real-time sentiment feedback helped reduce escalation times and enhanced the overall efficiency of customer support operations.

The results analysis reveals that the sentiment analysis model is effective at detecting strong negative emotions, with particularly high accuracy in identifying anger and sadness. However, the system could benefit from enhancements in handling more nuanced emotions like disgust and happiness. The testing accuracy, while improved with ReLU activation, still shows room for improvement, highlighting the need for more sophisticated generalization techniques to handle diverse, real-world data.

Overall, the system demonstrated its value in improving customer service operations by providing real-time sentiment feedback, allowing helpdesk agents to proactively address customer concerns and enhance service quality.

5 Conclusion and Future Scope

The sentiment analysis system for incoming helpdesk calls successfully enhanced customer service quality by providing real-time insights into customer emotions. By integrating natural language processing (NLP) and speech recognition technology, the system demonstrated high accuracy in classifying customer sentiment, achieving 90% overall accuracy. This enabled helpdesk agents to respond more effectively to customer emotions, leading to improved outcomes such as a 12% increase in customer satisfaction scores, a 10% rise in first-call resolution rates, and a 20% reduction in escalation times. The system's ability to capture both verbal content and vocal emotional cues allowed for a more nuanced understanding of customer interactions, enabling timely interventions and better overall service. Despite these successes, challenges like detecting complex emotions, such as sarcasm, and handling accented speech remain, providing opportunities for further enhancement.

The scope for future development of sentiment analysis in customer service is expansive. Expanding the system to analyze sentiment across multiple channels—such as email, chat, and social media—would offer a more comprehensive view of customer interactions. Additionally, integrating more advanced real-time feedback mechanisms could allow the system to provide agents with actionable suggestions during conversations, helping to prevent escalations. Future iterations of this model will explore transformer-based architectures like BERT for capturing context in multilingual datasets. The incorporation of more sophisticated emotion recognition technologies could improve the system's ability to detect complex emotions, such as fear or anxiety, leading to more personalized service. Furthermore, predictive analytics could allow businesses to proactively address customer issues by identifying patterns of dissatisfaction early. Enhancing the system's ability to handle diverse accents and languages would further increase its applicability in global markets. Finally, the integration of context-aware models could improve the detection of ambiguous sentiments, such as sarcasm, providing even deeper insights into customer emotions. By pursuing these advancements, sentiment analysis systems can evolve into more powerful tools for improving customer service and operational efficiency.

References

1. Nandyal, R. S. Effective Execution: Building High-Performing Organizations. Bloomsbury Publishing(2021).
2. Farbod, S. Exploring the Dark Side of AI-enabled Services: Impacts on Customer Experience and Well-being (Master's thesis, University of Twente)(2024).
3. Wankhade, M., Rao, A. C. S., & Kulkarni, C. A survey on sentiment analysis methods, applications, and challenges. Artificial Intelligence Review, 55(7), 5731-5780(2022).
4. Mohmad, G. H., &Delhibabu, R. Speech Databases, speech features and classifiers in speech emotion recognition: A Review. IEEE Access(2024).
5. Bharti, S. S., &Aryal, S. K. The right to privacy and an implication of the EU General Data Protection Regulation (GDPR) in Europe: Challenges to the companies. Journal of Contemporary European Studies, 31(4), 1391-1402(2023).
6. Ding, X., Liu, B., & Yu, P. S. A holistic lexicon-based approach to opinion mining. In Proceedings of the 2008 international conference on web search and data mining (pp. 231-240)(2008).
7. Zhao, G. Y. (2024). An NLP-Based Knowledge Extraction Approach for IT Tech-Support/Helpdesk Transcripts(2024).
8. Paramesh, S. P., &Shreedhara, K. S.Leveraging the Text Mining to Automate the Customer Helpdesk Systems. International Journal of Computer Applications, 975, 8887(2021).
9. Al-Hawari, F., & Barham, H. A machine learning based help desk system for IT service management. Journal of King Saud University-Computer and Information Sciences, 33(6), 702-718(2021).
10. Powell, M., Rotz, J. A., & D O'Malley, K. How machine learning is improving us navy customer support. In Proceedings of the AAAI conference on artificial intelligence (Vol. 34, No. 08, pp. 13188-13195)(2020).
11. Singh, U., Saraswat, A., Azad, H. K., Abhishek, K., &Shitharth, S. Towards improving e-commerce customer review analysis for sentiment detection. Scientific Reports, 12(1), 21983(2022).
12. Alabbas, A., & Alomar, K. Tayseer: A Novel AI-Powered Arabic Chatbot Framework for Technical and Vocational Student Helpdesk Services and Enhancing Student Interactions. Applied Sciences, 14(6), 2547(2024).
13. Aclober, G. M. I., Revano, T. F., Garcia, M. B., Enriquez, J. B., Habal, B. G., & Tuazon, J. B. HelpTech: Elevating School Operations with Automatic Ticket Categorization through Natural Language Processing. In 2023 IEEE 15th International Conference on Humanoid, Nanotechnology, Information Technology, Communication and Control, Environment, and Management (HNICEM) (pp. 1-5). IEEE(2023, November).
14. Παπαδόπουλος, Ηρακλής. Masters Thesis, "Call assistant-an application of natural language based dialogue system using machine coaching and argumentation." (2021).
15. Mohmad, G. H., &Delhibabu, R. Speech Databases, speech features and classifiers in speech emotion recognition: A Review. IEEE Access(2024).
16. Sharma, N. A., Ali, A. S., &Kabir, M. A. A review of sentiment analysis: tasks, applications, and deep learning techniques. International journal of data science and analytics, 1-38(2024).
17. Rani, M., & Jan, S. Comparative analysis and enhancement of sentiment intensity based tools. In 2020 14th International Conference on Open Source Systems and Technologies (ICOSST) (pp. 1-6). IEEE(2020, December).

18. Shrivastava, A., Jaın, J.,& Chauhan, D. Literature review on tools & applications of data mining. International Journal of Computer Sciences and Engineering, 11(4), 46-54(2023).
19. Jain, J. K., Waoo, A. A., & Chauhan, D. A literature review on machine learning for cyber security issues. International Journal of Scientific Research in Computer Science, Engineering and Information Technology, 374-385(2022).
20. Chauhan, D., & Jain, J. K. Profiling Network Traffic by Using Classification Techniques in Machine Learning. In International Conference on Smart Trends in Computing and Communications (pp. 113-123). Singapore: Springer Nature Singapore(2023 January).

Open Access This chapter is licensed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (http://creativecommons.org/licenses/by-nc/4.0/), which permits any noncommercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.

The images or other third party material in this chapter are included in the chapter's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the chapter's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.