A Systematic Review of the Impact of Static Stretching on Athlete Performance During Warm-Up Activities

Jiakang Zhu*

China Basketball College, Beijing Sport University, Beijing, 100084, China

*Corresponding author Email: Jakangoozhu@gmail.com

Abstract. Static stretching, as a simple and easy warm-up method, is widely used in sports and physical training to improve athlete's physiological readiness, optimize sports performance and reduce the risk of injury. This paper reviews the effects of static stretching on athletic performance, with the aim of comprehensively assessing its acute effects on strength, speed, flexibility and jumping performance, as well as the effects of long-term static stretching on muscle strength and structure. Studies have found that static stretching may reduce muscle strength in the short term, but long-term, moderate-intensity static stretching training may improve muscle strength and flexibility. Static stretching has a complex effect on muscle power and may lead to a decline in the short term, while long-term training may help to improve maximum strength and power output. Static stretching has been shown to be effective in improving joint and muscle flexibility, especially for athletes who require large joint movements. However, its effect on specific motor performance varies according to the type of exercise, stretch parameters, and individual characteristics. Reasonable application of static stretching should be adjusted according to individual situation and sports goals in order to optimize athlete's performance and reduce the risk of injury.

Keywords: Static Stretching, Athlete Performance, Warm-Up Activitie

1 Introduction

1.1 Research Background

Preparation exercises are crucial in athletic and physical regimens. Their primary function is to enhance the physiological preparedness of participants, thereby maximizing performance and minimizing injury risks [3]. Among various warm-up techniques, static stretching stands out for its ease of execution. This method entails extending muscles and tendons to a certain limit and maintaining that stretch for a while to boost flexibility and the range of motion [4]. Although static stretching is commonly thought to enhance flexibility, its influence on athletic performance is a matter of debate. On one side, certain study indicate that static stretching can decrease muscle rigidity and increase joint flexibility, potentially enhancing performance [1]. Conversely, other studies suggest that static stretching might temporarily diminish muscle strength and

© The Author(s) 2025
A. Y. M. A. Islam et al. (eds.), *Proceedings of the 2025 4th International Conference on Science Education and Art Appreciation (SEAA 2025)*, Advances in Social Science, Education and Humanities Research 952,
https://doi.org/10.2991/978-2-38476-452-5_2

power in high-intensity or explosive sports, adversely affecting performance. This is known as the stretch-induced force deficit [2]. Moreover, the impact of static stretching on exercise performance could be influenced by its duration, intensity, and individual variations [10]. As sports science advances, research into the effects of static stretching is becoming more nuanced. Scholars are now focusing on the long-term impacts of static stretching on muscle strength, power, and range of motion, as well as its relevance across different sports [11]. These insights are vital for crafting effective warm-up routines and training regimens.

1.2 Research Objective

The systematic review aims to thoroughly assess the impact of static stretching on athletes' performance during warm-ups, to uncover the immediate effects of static stretching on strength, velocity, flexibility, and vertical jump capabilities, as well as the long-term impacts on muscle power and structure. By meticulously examining the current body of literature, our objective is to establish a scientific foundation for coaches, athletes, and sports trainers, enabling them to judiciously incorporate static stretching into their warm-up routines to enhance athletic performance and mitigate injury risks. This review will investigate how varying degrees of stretch intensity impact sports performance and injury prevention, aiming to determine the ideal balance between stretch duration and intensity [19]. Our ambition is to address the knowledge gaps in the current literature, particularly regarding the chronic effects of static stretching on muscle power and performance, and the distinct effects of various stretching techniques on exercise outcomes [6]. We aspire to offer actionable advice and recommendations for the sports training and rehabilitation sectors through this research, assisting athletes and coaches in devising more efficient warm-up and training regimens [14].

2 Impacts of Static Stretching on Athlete Performance

2.1 Impact of Static Stretching on Muscle Strength

As a traditional warm-up and flexibility training method, the potential effect of static stretching on muscle strength has been the focus of research in the field of sports science. Static stretching has been shown to improve the range of motion of joints by increasing the length of muscles and tendons, which may be particularly beneficial for events requiring a wide range of motion [3]. However, there is also evidence that static stretching prior to high-intensity or explosive-demanding exercise may negatively affect muscle strength [16]. Specifically, static stretching may result in a transient decrease in muscle strength, a phenomenon known as stretch-induced lack of strength. This decrease in strength may be related to decreased neural activation of muscles and increased flexibility of muscles and tendons [5].

For instance, study [6] demonstrated a reduction in muscular power following static stretching sessions conducted right before strength assessments, potentially because it lessened the muscle's elastic potential. Furthermore, the long-term impact of static

stretching on muscle power remains uncertain. While some research indicates that prolonged static stretching can augment muscle thickness and power [7], other studies have failed to replicate these findings [18]. The influence of static stretching on muscle power might also be tied to the intensity, duration, and personal variations in stretching practices. Research by [9] suggests that high-intensity static stretching could result in a more significant drop in force, whereas lower-intensity stretching might minimally affect force output. These results imply that the intensity and duration of static stretching should be meticulously evaluated when devising warm-up and training regimens to prevent any detrimental impact on athletes' strength performance.

In conclusion, the impact of static stretching on muscle power is a multifaceted issue that warrants further investigation to understand the underlying mechanisms and optimal strategies. Current evidence suggests that while static stretching might temporarily diminish muscle power, consistent, moderate-intensity static stretching over time could positively influence muscle power and flexibility [12]. Consequently, additional research is essential to delve into the chronic effects of various static stretching regimens on muscle power and structure, and to determine how best to incorporate static stretching into warm-up and training programs to maximize athletic performance.

2.2 Impact of Static Stretching on Muscle Power

In the realm of competitive athletics and physical conditioning, muscular strength is a pivotal metric for assessing athletes' explosive capabilities and velocity. Static stretching, a prevalent flexibility-enhancing exercise, has been a subject of scrutiny in sports science studies concerning its influence on muscular strength. Muscular strength, defined as the quantity of force a muscle can generate within a specific time frame, is crucial for sports that demand swift and potent exertion. Studies have indicated that static stretching could affect muscular strength, particularly in the immediate aftermath. By elongating muscles and tendons, static stretching might temporarily decrease muscle stiffness, thus diminishing the force generated by muscles during quick contractions. This impact is especially noticeable in sports that necessitate rapid, explosive power, such as sprinting and jumping [11]. Nevertheless, there is evidence suggesting that chronic static stretching regimens might positively influence muscular strength. For instance, a systematic review indicated that chronic static stretching might slightly enhance muscular strength and power. In a study involving soccer players, chronic static stretching was observed to enhance vertical leap capacity, implying that static stretching might bolster muscular strength by augmenting muscle length and optimizing muscle contractile characteristics [20]. Furthermore, static stretching is also thought to enhance muscle blood flow and temperature, potentially benefiting muscular strength [9]. However, these study outcomes are not uniform, with some indicating that static stretching has no significant impact on muscular strength, especially when integrated with other recovery techniques like massage [2].

The influence of static stretching on muscular strength is intricate and multi-dimensional. While a temporary decrease in muscular strength might be observed, chronic training could contribute to an increase in peak muscle strength and power output. Hence, comprehending the potential effects of static stretching on muscular strength

and integrating this knowledge into training regimens is essential for athletes and coaches aiming to maximize athletic performance.

2.3 Impact of Static Stretching on Flexibility of Joints and Muscles

Static stretching is widely recognized as an effective way to improve joint mobility and muscle extensibility. In sports training and daily activities, good flexibility is essential to prevent injuries, improve sports performance and maintain the ease of daily activities. Static stretching has been shown to increase the range of motion of a joint by reducing the stiffness of muscles and tendons. This increased flexibility is particularly important for athletes who require large joint movements, such as gymnasts or dancers. In a study of healthy individuals, long-term static stretching training was found to significantly improve the range of motion of the lower limbs [21]. In addition, static stretching is also believed to reduce muscle pain perception and increase muscle stretch comfort, thereby enabling individuals to achieve a greater range of joint motion. However, the effect of static stretching on flexibility may vary depending on individual differences, the duration, frequency, and intensity of the stretching. While static stretching can increase flexibility in the short term, the effect may not last. Some studies have shown that the increase in flexibility may subside over a shorter period of time if stretching is not continued [8]. Therefore, periodic static stretching is necessary to maintain long-term flexibility improvement. The effect of static stretching on flexibility may also be related to changes in muscle structure. Long-term static stretching may lead to an increase in the sarcomere within the muscle, thereby increasing the length and flexibility of the muscle [3]. These structural changes may have a positive effect on performance in sports that require a high degree of flexibility.

Static stretching is an effective means of improving joint and muscle flexibility, especially for athletes and individuals who need to increase joint range of motion and flexibility. However, in order to achieve and sustain long-term improvements in flexibility, static stretching training needs to be performed regularly and consistently.

2.4 Impact of Static Stretching on Specific Athletic Performances

As a conventional approach to enhancing flexibility, static stretching is frequently incorporated into pre-exercise warm-ups with the goal of augmenting joint mobility by elongating muscles and tendons. However, research findings on the impact of static stretching on specific motor performance have been mixed. Some research has indicated that static stretching could lead to a temporary decrease in muscular strength and explosive power [17], potentially due to the reduction in muscle tension and rigidity that results from stretching [13]. Moreover, the detrimental effects of static stretching on motor performance might be associated with its influence on muscle activation and nerve conduction velocity. Nevertheless, not all studies corroborate the negative impact of static stretching on exercise performance. Certain studies have demonstrated that when static stretching is integrated into a comprehensive warm-up routine, its adverse effects on performance can be mitigated. Static stretching may also be advantageous for enhancing specific motor skills, particularly in sports that demand extensive joint

motion [1]. For instance, static stretching is thought to enhance the performance of gymnasts and dancers, as these disciplines require a significant level of flexibility and joint range of motion. In the context of specific athletic performance studies, the efficacy of static stretching may be contingent upon various factors, including the intensity and duration of the stretch, as well as the individual's training history and muscle attributes. Some studies have suggested that high-intensity static stretching might be more effective at increasing range of motion compared to low-intensity stretching [15], but it could also be more likely to result in a decrease in strength. Additionally, the impact of static stretching on exercise performance may differ among individuals, potentially due to variations in muscle structure, age, gender, and training background [20].

The effects of static stretching on specific exercise performance are complex and may vary depending on the type of exercise, stretching parameters, and individual characteristics. Therefore, coaches and athletes should consider these factors when developing training programs to ensure that static stretching can effectively improve sports performance rather than become a barrier to sports performance.

3 Physiological Mechanism and Application Suggestions of Static Stretching

3.1 Physiological Mechanism

Static stretching is a common flexibility training method. Its physiological mechanism involves many aspects, including the effects on muscles, tendons and nervous system. During static stretching, muscles and tendons are stretched to a certain extent, and this continuous stretching can lead to an increase in muscle tension, which in turn activates the Golgi tendon organ in the muscle. These organs are sensitive to changes in tension and are involved in regulating the contraction and relaxation of muscles. Prolonged static stretching can reduce the activity of GTOs, thereby reducing muscle tension and stiffness and increasing the range of motion of joints [3]. In addition, static stretching may affect the nerve control of muscles. Studies have shown that static stretching can reduce the spontaneous discharge rate of muscles, reduce the recruitment of motor units, and thus reduce the strength output of muscles [4]. This neuroinhibitory effect may be due to changes in muscle length caused by stretching, affecting the activity of spinal cord motor neurons [15]. Long-term static stretching training can lead to adaptive changes in muscle structure, such as changes in the length and cross-sectional area of muscle fibres, which can help improve muscle strength and endurance. In flexibility training, static stretching is considered to be an effective means of increasing range of motion. With continuous stretching, the flexibility of muscles and tendons is improved, which not only helps improve sports performance, but also reduces the risk of sports injuries. However, it should be noted that the strength and duration of the static stretch have a significant impact on the effect. In general, the intensity of stretching should be controlled within a comfortable and slightly challenging range, while the duration is recommended to be between 15 and 30 seconds for the best results [18].

Static stretching improves the flexibility of muscles and the range of motion of joints by affecting the physiological properties of muscles and tendons and the mechanisms of neural control. These changes can help improve athletic performance and reduce the risk of injury, but they also require the right intensity and duration of training to achieve the best results.

3.2 Application Suggestions

As a prevalent technique for enhancing flexibility, static stretching holds significant value in athletic preparation, post-exercise recovery, and general fitness routines. This segment offers tailored advice on the implementation of static stretching, drawing from the latest research findings. It is widely accepted that static stretching can augment joint mobility, which is beneficial for preventing muscle injuries during physical activities [15]. Research indicates that static stretching can lessen muscle and tendon stiffness, thus enhancing joint mobility [12]. Consequently, appropriate static stretching prior to exercise can assist athletes in attaining optimal physical readiness and diminishing injury risks. However, it is important to recognize that the intensity and duration of static stretching have varying impacts on joint mobility. While some studies suggest that high-intensity static stretching could result in a more substantial increase in mobility, other studies have found no significant differences in the effects of varying intensities of static stretching on mobility [4]. Therefore, when incorporating static stretching into a regimen, the intensity and duration should be tailored to individual circumstances and exercise requirements. Research on the impact of static stretching on muscle strength and force has been inconclusive. Some studies indicate that static stretching might adversely impact muscle strength, particularly following high-intensity sessions. Nevertheless, there are studies that demonstrate positive long-term outcomes of proper static stretching on muscle strength and force, albeit with potentially modest effects [21]. Therefore, coaches and athletes should be cautious about using static stretching in strength training or explosive training so as not to affect the training effect. The application of static stretching should also take into account individual differences. Individuals of different ages, genders, and training levels may respond differently to static stretching. For example, some studies have shown that women and older individuals may gain greater muscle strength and flexibility from static stretching [17]. In addition, the type of static stretching (active or passive) can also affect its effectiveness, with passive stretching generally considered to be more effective in improving flexibility.

Static stretching is an effective means to improve flexibility and reduce the risk of muscle injury, but its application should be adjusted according to individual situation and sports goals. It is recommended that moderate static stretching be performed before exercise to improve the range of motion, and that it be used cautiously in strength training so as not to affect the training effect. At the same time, individual differences should be taken into account to select the most suitable stretching type and strength.

4 Conclusions and Prospects

4.1 Conclusions

This systematic analysis thoroughly examined the impact of static stretching on athletes' performance during pre-exercise warm-ups, uncovering both the immediate effects on strength, velocity, flexibility, and vertical leap capabilities, as well as the chronic effects on muscular strength and structure. Evidence suggests that while static stretching might temporarily decrease muscular strength, engaging in long-term, moderate-intensity static stretching could positively influence muscle strength and flexibility. The influence of static stretching on muscular power is intricate and varied; a temporary reduction in power might be noted, but chronic training could potentially enhance peak muscle strength and power. In terms of joint and muscle mobility, static stretching has been demonstrated to effectively enhance the range of motion. However, the impact of static stretching on specific exercise performance differs based on exercise type, stretching parameters, and personal attributes. In summary, the judicious use of static stretching should be customized to individual conditions and athletic objectives to maximize performance and minimize the likelihood of injury.

4.2 Prospects

Subsequent studies ought to delve deeper into the chronic impacts of static stretching on muscular strength and composition, and investigate how to seamlessly incorporate static stretching into pre-exercise and training regimens to maximize athletes' performance. It is crucial to focus on the enduring effects of various static stretching regimens on muscle strength and power, as well as the practical effects of static stretching across different sports. Given the role of individual variability in responses to static stretching, future research should also examine the impact of static stretching among individuals of diverse ages, genders, and training histories. Through in-depth understanding of the physiological mechanism of static stretching, coaches, athletes and sports training professionals can be provided with more specific guidance and suggestions to help them develop more effective warm-up and training programs. Research should focus on how to balance the increase of flexibility with the maintenance of muscle strength, and how to prevent sports injuries through static stretching. These studies will provide practical guidance and suggestions for the field of sports training and rehabilitation, and help athletes and coaches to develop more effective warm-up and training programs.

References

1. Warneke K, Freundorfer P, Plöschberger G, et al. Effects of chronic static stretching interventions on jump and sprinting performance–a systematic review with multilevel meta-analysis[J]. Frontiers in Physiology, 2024, 15: 1372689.
2. Behm D G, Kay A D, Trajano G S, et al. Mechanisms underlying performance impairments following prolonged static stretching without a comprehensive warm-up[J]. European journal of applied physiology, 2021, 121: 67-94.

3. Ullman Z J, Fernandez M B, Klein M. Effects of isometric exercises versus static stretching in warm-up regimens for running sport athletes: a systematic review[J]. International Journal of Exercise Science, 2021, 14(6): 1204.
4. Hsu F Y, Tsai K L, Lee C L, et al. Effects of dynamic stretching combined with static stretching, foam rolling, or vibration rolling as a warm-up exercise on athletic performance in elite table tennis players[J]. Journal of sport rehabilitation, 2020, 30(2): 198-205.
5. Yildiz S, Gelen E, Çilli M, et al. Acute effects of static stretching and massage on flexibility and jump performance[J]. Journal of Musculoskeletal & Neuronal Interactions, 2020, 20(4): 498.
6. Anderson B L, Harter R A, Farnsworth J L. The acute effects of foam rolling and dynamic stretching on athletic performance: a critically appraised topic[J]. Journal of sport rehabilitation, 2020, 30(3): 501-506.
7. Barbosa G M, Trajano G S, Dantas G A F, et al. Chronic effects of static and dynamic stretching on hamstrings eccentric strength and functional performance: a randomized controlled trial[J]. The Journal of Strength & Conditioning Research, 2020, 34(7): 2031-2039.
8. Zmijewski P, Lipinska P, Czajkowska A, et al. Acute effects of a static vs. a dynamic stretching warm-up on repeated-sprint performance in female handball players[J]. Journal of human kinetics, 2020, 72: 161.
9. Sato S, Hiraizumi K, Kiyono R, et al. The effects of static stretching programs on muscle strength and muscle architecture of the medial gastrocnemius[J]. PLoS One, 2020, 15(7): e0235679.
10. Donti O, Papia K, Toubekis A, et al. Acute and long-term effects of two different static stretching training protocols on range of motion and vertical jump in preadolescent athletes[J]. Biology of Sport, 2021, 38(4): 579-586.
11. Bryant J, Cooper D J, Peters D M, et al. The effects of static stretching intensity on range of motion and strength: a systematic review[J]. Journal of Functional Morphology and Kinesiology, 2023, 8(2): 37.
12. Nakamura M, Konrad A, Kasahara K, et al. The combined effect of static stretching and foam rolling with or without vibration on the range of motion, muscle performance, and tissue hardness of the knee extensor[J]. The Journal of Strength & Conditioning Research, 2023, 37(2): 322-327.
13. Arntz F, Markov A, Behm D G, et al. Chronic effects of static stretching exercises on muscle strength and power in healthy individuals across the lifespan: a systematic review with multi-level meta-analysis[J]. Sports medicine, 2023, 53(3): 723-745.
14. Warneke K, Lohmann L H, Keiner M, et al. Using long-duration static stretch training to counteract strength and flexibility deficits in moderately trained participants[J]. International Journal of Environmental Research and Public Health, 2022, 19(20): 13254.
15. Cai P, Liu L, Li H. Dynamic and static stretching on hamstring flexibility and stiffness: A systematic review and meta-analysis[J]. Heliyon, 2023.
16. Behm D G, Alizadeh S, Daneshjoo A, et al. Potential effects of dynamic stretching on injury incidence of athletes: a narrative review of risk factors[J]. Sports Medicine, 2023, 53(7): 1359-1373.
17. Yahata K, Konrad A, Sato S, et al. Effects of a high-volume static stretching programme on plantar-flexor muscle strength and architecture[J]. European journal of applied physiology, 2021, 121: 1159-1166.
18. Sato S, Kiyono R, Takahashi N, et al. The acute and prolonged effects of 20-s static stretching on muscle strength and shear elastic modulus[J]. PLoS One, 2020, 15(2): e0228583.
19. Takeuchi K, Nakamura M, Fukaya T, et al. Stretching intervention can prevent muscle injuries: a systematic review and meta-analysis[J]. Sport Sciences for Health, 2024: 1-11.

20. Bouguezzi R, Sammoud S, Markov A, et al. Why flexibility deserves to be further considered as a standard component of physical fitness: a narrative review of existing insights from static stretching study interventions[J]. Youth, 2023, 3(1): 146-156.
21. Behm D G, Kay A D, Trajano G S, et al. Effects of stretching on injury risk reduction and balance[J]. Journal of Clinical Exercise Physiology, 2021, 10(3): 106-116.

Open Access This chapter is licensed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (http://creativecommons.org/licenses/by-nc/4.0/), which permits any noncommercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license and indicate if changes were made.

The images or other third party material in this chapter are included in the chapter's Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the chapter's Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.