

vibration and underwater radiation noise by selecting suitable parameters of decoupling coating.

REFERENCES

- [1] Tao meng, Tang Weilin, Fan Jun. "Mechanism analysis of noise reduction by compliant decoupling layers," *Journal of Ship Mechanics*, Vol.14(4), pp. 220-225. *In Chinese*
- [2] Tao meng, Fan Jun, Tang Weilin. "The characteristics of sound radiation from a cylindrical shell coated with multiple compliant layers," *ACTA ACUSTICA*, 2008, Vol.33(3), pp. 421-429. *In Chinese*
- [3] Miao Xuhong, Wang Renqian, Gu lei. "Numerical analysis on the sound insulation performance of decoupling material," *Journal of Ship Mechanics*, 2005, Vol.9(5), pp. 125-131. *In Chinese*
- [4] House, J.R.C. "Considerations for underwater decoupling treatment," *Proc.I.O.A.*, 1991, 13:166-173.
- [5] Yao Xiongliang, Zhang Aman, Qian Dejin, Pang Fuzhen. "On effect of laying regions of uncoupled anechoic material on sound radiation of double cylindrical shell," *Journal of naval university of engineering*, 2008, 20(2):33-37. *In Chinese*
- [6] Yao Xiongliang, Zhang Xu, Qian Dejin, Zhang Aman. "Experiment research of acoustics performance of separate-sound and decoupled material," *Transducer and microsystem technologies*, 2008, 27(7):31-33. *In Chinese*
- [7] Crighton, D.G. "Aspects of the reflexion and free wave properties of a composite panel under fluid loading," *Journal of sound and vibration*, 1979, 64(4):467-474.
- [8] Maidanik, G. "Modification caused by compliant layers and blankets in the pressure field induced on a boundary," *Trans. ASME. J. Vib. Acoust. Stress. Reliab. Des.* 1984, 106(3):369-375.
- [9] Olivier F. and A. Berry. "Acoustic radiation from an elastic baffled rectangular plate covered by a decoupling coating and immersed in a heavy acoustic fluid," *J. Acoust. Soc. Am.*, 2000, 107(5):2501-2510.
- [10] S.Nikiforov, translated from Russian by Alexander Katalov and Dimitri Donskoy. *Acoustic design of naval structures*. USA, Naval Surface Warfare Center, 2005.