

Acknowledgement

This research was supported by the Opening Project of Key Laboratory of Sea Battlefield Countermine Simulation Technology of Ministry of Education of Jilin University (NO. 450060481223), and the Graduate Innovation Fund of Jilin University (NO. 20121104).

References

- [1] Yilmaz A, Javed O and Shah M. Object tracking: A survey. *ACM Computing Surveys*, Vol.38(2006), p.1-45.
- [2] Sezgin M and Sankur B. Survey over image thresholding techniques and quantitative performance evaluation. *Journal of Electronic Imaging*, Vol.13(2004), p.146-168.
- [3] Long J W, Shen X J and Chen H P. Adaptive Minimum Error Thresholding Algorithm. *Acta Automatica Sinica*, Vol.38(2012), p.1134-1144.
- [4] Shen X J, Long J W, Chen H P, et al. Otsu Thresholding Algorithm Based on Rebuilding and Dimension Reduction of the 3-Dimensional Histogram. *Acta Electronica Sinica*, Vol.39(2011), p.1108-1114.
- [5] Long J W, Shen X J and Chen H P. Interactive Document Images Thresholding Segmentation Algorithm Based on Images Regions. *Journal of Computer Research and Development*, Vol.49(2012), p.1420-1431.
- [6] Boykov Y, Veksler O and Zabih R. Fast approximate energy minimization via graph cuts. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol.23(2001), p.1222-1239.
- [7] Boykov Y and Kolmogorov V. An experimental comparison of min-cut/max-flow algorithms for energy minimization in vision. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol.26(2004), p.1124-1137.
- [8] Boykov Y and Funka-Lea G. Graph cuts and efficient N-D image segmentation. *International Journal of Computer Vision*, Vol.70(2006), p.109-131.
- [9] McGuinness K, Connor N E. A comparative evaluation of interactive segmentation algorithms. *Pattern Recognition*, Vol.43(2010), p.434-444.
- [10] Li Y, Sun J, Tang C K, et al. Lazy snapping. *ACM Transactions on Graphics*, Vol.23(2004), p.303-308.
- [11] Rother C, Kolmogorov V and Blake A. "GrabCut"-Interactive foreground extraction using iterated graph cuts. *ACM Transactions on Graphics*, Vol.23(2004), p.309-314.
- [12] Ning J F, Zhang L, Zhang D, et al. Interactive image segmentation by maximal similarity based region merging. *Pattern Recognition*, Vol.43(2010), p.445-456.
- [13] Vincent L and Soille P. Watersheds in digital spaces: an efficient algorithm based on immersion simulations. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol.13(1991), p.583-598.
- [14] Comaniciu D and Meer P. Mean Shift: A robust approach toward feature space analysis. *IEEE Transactions on pattern analysis and machine intelligence*, Vol.24(2002), p.603-619.