













- [2] Qin Wenhui, Zha Junyuan, et al. Modeling and Realizing Methods for Virtual Crowd Behaviors[J]. Journal of Jiangsu University (Natural Science Edition), 2009,30(1):58-61.
- [3] Li Dewei. Modeling and Simulation of Micro Pedestrian Flow in MTR Hubs [D]. Beijing: Beijing Jiaotong University, 2007.
- [4] Fruin J..Pedestrian Planning and design[A]. Metropolitan Association of Urban designers and Environmental Planners,New York,1971.
- [5] Tregenza,Peter R.. The Design of Interior Circulation[A]. Van Nostrand Reinhold Co- mpany, New York, 1986.
- [6] Henderson L.F..The Statistics of Crowd Fluids[J]. Nature. 1971,229:381-353.
- [7] Tanaboriboon Y., Hwa S.S., Chor C.H.. Pedestrian Characteristic Study in Singa- pore[J]. Journal of Transportation Engineer- ing, ASCE, 1986, 112(3):229-235.
- [8] Lam William H.K., Morrall John F., Ho Hrebert. Pedestrain Flow Characteristic in Hong Kong[J]. Transportation Research Record,1995,1487:56-62.
- [9] Chen Ran, Huang Ligeng. Observations and Preliminary Analysis of Characteristics of Pedestrian Traffic in Chinese Metropolis[J], Journal of Shanghai University (Natural Science Edition). 2005, 11(1):93-97.
- [10] Older S.J..Movement of Pedestrians on Footways in Shopping Streets[J]. Traffic Engineering and Control.1968,10:160-163.
- [11] Fruin J.J.. Pedestrian Planning and Design[M].2nd ed. Alabama: Elevator World Inc,1987.
- [12] Weidmann U. Transporttechnik der Fußgänger,ETH-Zürich, Schriftenreihe IVT-Berichte90[J], Zürich (In German).1993.
- [13] Virkler M.R., Elayadath S.. Pedestrian Speed-flow-density Relationships[J]. Transportation Research Record, 1994, 1438: 51-58.
- [14] Sarkar A.K., Janardhan K.. A Study on Pedestrian Flow Characteristics[A]. In: Proceedings of the 76th Annual Meeting at the Transportation Research Board, Washington, 1997.
- [15] Wang Lida. Study on Simulation of Evacuation Dynamics in Metro Station[D]. Beijing: Beijing Jiaotong University, 2006.
- [16] Dirk Helbing, Ill é Farkas, Tam á Vicsek. Simulating Dynamical Features of Escape Panic[J]. Nature, 2000, 9.
- [17] CROW. ASVV: Recommendations for Traffic Provisions in Built-Up Areas, Report15[R]. 1998.
- [18] De Neufville, R. &M. Grillo. Design of Pedestrian Space in Airport Terminals [J]. Transportation Engineering Journal of ASCE, 1982,108:87-101.
- [19] Van Soeren J.W.A..User-Manual Station Version2.01[R]. Railinfrabeheer,(In Dutch). 1996.
- [20] Knoflacher H.. Verkehrsplanung für den Menschen. Band1: Grundstrukturen, Wirtsch- aftsverlag Orac, Vienna, (In German). 1987.
- [21] Xia Shengguo. Analysis of the Characteristics of Passenger Flow and Passenger Flow Assignment in public transit[D].Shanghai: Tongji University, 2008.
- [22] Sun Liguang. Study on Microscopic Simulation Model of Pedestrian Behavior in Walking[D]. Beijing: Tsinghua University, 2009.
- [23] Tang Ming. Research on Pedestrian Traffic Behavior Model and Simulation Algorithm in Passenger Transfer Hub[D]. Jilin: Jilin University, 2010.