















- [4] J. M. Alonso, L. Magdalena, and G. González-Rodríguez. Looking for a good fuzzy system interpretability index: An experimental approach. *Int. J. Approx. Reason.*, 51:115–134, 2009.
- [5] K. Trawiński, O. Cordón, and A. Quirin. On designing fuzzy rule-based multiclassification systems by combining FURIA with bagging and feature selection. *Int. J. Uncert. Fuzz. Knowl.-Based Syst.*, 19(4):589–633, 2011.
- [6] J. C. Hühn and E. Hüllermeier. FURIA: an algorithm for unordered fuzzy rule induction. *Data Mining Knowl. Discovery*, 19(3):293–319, 2009.
- [7] L. Breiman. Bagging predictors. *Mach. Learn.*, 24(2):123–140, 1996.
- [8] T. Ho. The random subspace method for constructing decision forests. *IEEE Trans. Pattern Anal. Mach. Intell.*, 20(8):832–844, 1998.
- [9] R. Battiti. Using mutual information for selecting features in supervised neural net learning. *IEEE Trans. Neural Netw.*, 5(4):537–550, 1994.
- [10] L. I. Kuncheva and J. J. Rodríguez. Classifier ensembles with a random linear oracle. *IEEE Trans. Knowl. Data Eng.*, 19(4):500–508, 2007.
- [11] J. J. Rodríguez and L. I. Kuncheva. Naïve bayes ensembles with a random oracle. In *Lect. Notes in Comput. Sci.*, volume 4472, pages 450–458. Springer-Verlag, 2007.
- [12] J. R. Quinlan. *C4.5: Programs for Machine Learning*. Morgan Kaufmann Publishers, 1993.
- [13] P. Domingos and M. J. Pazzani. On the optimality of the simple bayesian classifier under zero-one loss. *Mach. Learn.*, 29(2-3):103–130, 1997.
- [14] B.V. Dasarathy and B.V. Sheela. A composite classifier system design: Concepts and methodology. *Proc. IEEE*, 67(5):708–713, 1979.
- [15] R. Schapire. The strength of weak learnability. *Mach. Learn.*, 5(2):197–227, 1990.
- [16] Z.H. Zhou. Ensembling local learners through multimodal perturbation. *IEEE Trans. Syst., Man, Cybern. B*, 35(4):725–735, 2005.
- [17] L. I. Kuncheva and Ch. J. Whitaker. Measures of diversity in classifier ensembles and their relationship with the ensemble accuracy. *Mach. Learn.*, 51(2):181–207, 2003.
- [18] D. Ruta and B. Gabrys. Classifier selection for majority voting. *Inf. Fusion*, 6(1):63–81, 2005.
- [19] L. Breiman. Random forests. *Mach. Learn.*, 45(1):5–32, 2001.
- [20] K. Woods, W.P. Kegelmeyer, and K. Bowyer. Combination of multiple classifiers using local accuracy estimates. *IEEE Trans. Pattern Anal. Mach. Intell.*, 19(4):405–410, 1997.
- [21] L. Lam and C.Y. Suen. Application of majority voting to pattern recognition: An analysis of its behavior and performance. *IEEE Trans. Syst., Man, Cybern.*, 27:553–568, 1997.
- [22] L. I. Kuncheva. “Fuzzy” versus “nonfuzzy” in combining classifiers designed by boosting. *IEEE Trans. Fuzzy Syst.*, 11(6):729–741, 2003.
- [23] A. Verikas, A. Lipnickas, K. Malmqvist, M. Bacauskiene, and A. Gelzinis. Soft combination of neural classifiers: A comparative study. *Pattern Recogn. Lett.*, 20(4):429–444, 1999.
- [24] L. I. Kuncheva, J. C. Bezdek, and R. P. W. Duin. Decision templates for multiple classifier fusion: An experimental comparison. *Pattern Recognit.*, 34(2):299–314, 2001.
- [25] R. Avnimelech and N. Intrator. Boosted mixture of experts: An ensemble learning scheme. *Neural Comput.*, 11:483–497, 1999.
- [26] G. Giacinto and F. Roli. Dynamic classifier selection based on multiple classifier behaviour. *Pattern Recognit.*, 34(9):1879–1881, 2001.
- [27] E.M. Dos Santos, R. Sabourin, and P. Maupin. A dynamic overproduce-and-choose strategy for the selection of classifier ensembles. *Pattern Recognit.*, 41(10):2993–3009, 2008.
- [28] D. Partridge and W.B. Yates. Engineering multiversion neural-net systems. *Neural Comput.*, 8(4):869–893, 1996.
- [29] L. I. Kuncheva. *Combining Pattern Classifiers: Methods and Algorithms*. Wiley, 2004.
- [30] H. Ishibuchi, T. Nakashima, and T. Morisawa. Voting in fuzzy rule-based systems for pattern classification problems. *Fuzzy Sets Syst.*, 103(2):223–238, 1999.
- [31] O. Cordón, M.J. del Jesus, and F. Herrera. A proposal on reasoning methods in fuzzy rule-based classification systems. *Int. J. Approx. Reason.*, 20:21–45, 1999.
- [32] J. Kittler, M. Hatef, R.P.W. Duin, and J. Matas. On combining classifiers. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 20(3):226–238, 1998.
- [33] D. Optiz and R. Maclin. Popular ensemble methods: An empirical study. *J. Artif. Intell. Res.*, 11:169–198, 1999.
- [34] J. C. Hühn and E. Hüllermeier. An analysis of the FURIA algorithm for fuzzy rule induction. In *in Proc. Adv. Mach. Learn. I*, pages 321–344. 2010.
- [35] T.G. Dietterich. Approximate statistical test for comparing supervised classification learning algorithms. *Neural Comput.*, 10(7):1895–1923, 1998.
- [36] J. Demšar. Statistical comparisons of classifiers over multiple data sets. *J. Mach. Learn. Res.*, 7:1–30, 2006.
- [37] S. García and F. An extension on “statistical comparisons of classifiers over multiple data sets” for all pairwise comparisons. *J. Mach. Learn. Res.*, 9:2677–2694, 2008.